



PRODUCT
CATALOGUE
2020

G-MAN®

The Swedish Saw Expert

THE TRADITION GOES ON

Edsbyn, situated in the heart of the Swedish forest country, about 300 km NW of Stockholm, has long been a centre for forestry craft industry associated with timber and wood industries. In the past, forestry workers from the surrounding villages travelled to Edsbyn to purchase their tools or to have them repaired by the local blacksmith. This led to a natural development of the tool industry in the region. In the middle of the 20th century, Edsbyn had several small industries, making axes, saws, and different hand tools for forestry workers. Today, G-Man Tools AB proudly carries on the tradition of saw making, maintaining the high quality, by using Swedish raw material and modern manufacturing techniques.

CONTENTS

| | |
|------------------------|----|
| Hand saws | 4 |
| Special saws | 10 |
| Hacksaw blades | 13 |
| Bow saws & blades | 14 |
| Pruning saws | 18 |
| Extension pole | 22 |
| Reciprocating blades | 24 |
| Jigsaw blades | 32 |
| Airsaw blades | 40 |
| Oscillating saw blades | 41 |
| Hole saws | 42 |

The company was officially founded on July 12, 1984, under the name of Edsbytool AB. The basic business concept was to build on and develop the skill and tradition existing in the region in production and marketing of saws and saw blades for wood. In 1987, Edsbytool joined forces with A/S Grorud Jernvarefabrik of Norway. The Norwegian production and sales were moved to Edsbyn and since their saws were widely known under the trade mark of G-MAN, the company also changed its name to the present G-MAN TOOLS AB. This meant a rapid increase of volume and turnover, and since then a steady increase of sales has led to a consolidation of the company, which at present employs 30 persons.

During the last few years, considerable investments in machinery and buildings have been made, in order to be well prepared for the future. Export business has always been very important and today, about 80% of the production is exported to more than 45 different markets all over the world. All operations are carried out in our own building, located in Ovanåker, Edsbyn.



FX LINE

Our FX line offers 6 hand saws of a superb quality. The saws come with our ergonomic soft grip handle. The FX line has also thicker material in the blade which reduces vibrations and offers extra stability and precision.

Three models have a special type of tothing (JP) with 3 cutting edges. Together with a special setting and low-friction coating, these saws represent the top of our hand saw line.



329H EXCEL FX

A fine toothed hand saw with 11 razor sharp teeth per inch. The special 3-edge tothing and setting offers excellent cutting properties.



Art. no 329H22FX
Length 22" - 550 mm



327H EXCLUSIVE FX

A hand saw with 9 razor sharp teeth per inch. The special 3-edge tothing combines a superb cutting ability with a smooth and clean cut.



Art. no 327H22FX
Length 22" - 550 mm



352H EXACT FX

Special saw for fine carpentry and cabinet making. Fine-toothed with 11 razor sharp teeth with 3 cutting edges.



Art. no 352H18FX
Length 18" - 450 mm





319H EXPERT FX

Available with two types of double-ground toothings. Universal toothing (U7) for both cross-cutting and rip cutting. Ideal as an all-purpose saw. Alternatively with straight toothing (R7) for fast cross-cutting.



Art. no 319H22R7FX
Length 22" - 550 mm



167H CONCRETE

Special saw for cellular blocks and lightweight materials. Coarse, hardpoint teeth. Supplied with our soft grip handle for comfortable and safe grip.

Art. no 167H
Length 28" - 710 mm



168TS CONCRETE

Special saw for cellular blocks and lightweight materials. Coarse, sintered carbide hardmetal-tipped teeth. Supplied with our soft grip handle for comfortable and safe grip.

Art. no 168TS
Length 28" - 710 mm



PREMIUM LINE

Our Premium line offers 9 hand saws of an excellent quality. The saws come with our new ergonomic soft grip handle. Three models have a special type of tothing (JP) with 3 cutting edges. In this line of saws you will also find special saws for cutting laminate, PVC and insulation materials.



229H RAPID

A traditional hand saw, but with the same super tothing (JP) as our black saw, i.e. with 3 cutting edges and our special setting. Available with two types of tothings, 11 teeth per inch and 9 teeth per inch.



Art. no 229H2211JP
Length 22" - 550 mm

Art. no 229H2011JP
Length 20" - 500 mm

Art. no 229H1611JP
Length 16" - 400 mm



Art. no 229H229JP
Length 22" - 550 mm

Art. no 229H209JP
Length 20" - 500 mm

Art. no 229H169JP
Length 16" - 400 mm

252H LAMINATE

Special saw for cutting wood and laminate floors. With our double ground universal tothing.



Art. no 252H18
Length 18"- 450 mm

222H ALLROUNDER

Available with two types of double-ground tothings. Universal tothing (U7) for both cross-cutting and rip cutting. Ideal as an all-purpose saw. Alternatively with straight tothing (R7) for fast cross-cutting.



Art. no 222H22U7
Length 22" - 550 mm



Art. no 222H22R7
Length 22" - 550 mm

260H BOARD

Specially group-toothed saw, ideal for cutting of chipboard, block board and other hard board materials.




Art. no 260H18
Length 18" - 450 mm

Art. no 260H24
Length 24" - 600 mm



275H TOOLBOX

15 inch, R13 toothing for dry wood, medium cutting. Supplied with a 2-component plastic handle.



Art. no 275H15
Length 15" - 350 mm



152H PLASTIC

Ideal for cutting pvc pipes and other plastic material.



Art. no 152H2011
Length 20" - 500 mm



255H22WA INSULATION

Sawing insulation material, mineral wool. Wave formed edge. Hardpoint finish.

Art. no 255H22WA
Length 22" - 550 mm



158H VENEER

Sawing of plywood, veneer etc. Extra thin and wide blade for accurate cut. Hardpoint blade with curved, toothed front-end. Straight toothing 13 teeth/inch.




Art. no 158H
Length 12 1/2" - 320 mm



153H TENON

Very fine toothing for use in mitre boxes and for other precision jobs. Extra thin and wide blade for an accurate cut. Aluminium alloyed back and our comfortable plastic handle. Straight toothing 13 teeth/inch. Hardpoint finish.



Art. no 153H12
Length 12" - 300 mm

Art. no 153H14
Length 14" - 350 mm





CLASSIC LINE

We also produce an assortment of handsaws for the do-it-yourself user and daily carpentry work. A classic, traditional hand saw which we offer in 12 different variations from 16 up to 24 inch length with tooth shapes R7 and U7.



328H CLASSIC

A traditional handsaw with toothshapes R7 and U7. For rough and heavy-duty cross cutting we also offer this model in 20 and 24 inch length with tooth shape R3,5, and 20, 22 inch with the tooth shape R5. The classic saws are supplied with a comfortable plastic handle with 3 screws. Supplied in hardpoint finish for all models, except for toothing R3,5 which is supplied non hardpoint.

Art. no 328H



| inch/mm | 16/400 | 18/450 | 20/500 | 22/550 | 24/600 |
|---------|--------|--------|--------|--------|--------|
| U7 | X | X | X | X | X |
| R7 | | | X | X | X |
| R5 | | | X | X | |
| R3,5 | | | X | | X |



SPECIAL SAWS

An assortment of saws for special applications such as hack saws, pull saws, multi saws and junior hacksaws.

138 MULTI SAW

A more universal saw you will not find. All of our reciprocating saw blades are possible to use which makes it extremely versatile.

We are offering 6 different types of sawblades for different applications.

Blade kit to article 139-001


Art. no

| | |
|-----------|------|
| 1010-2024 | 2 st |
| 1010-2090 | 1 st |
| 1031-2086 | 1 st |
| 1045-2006 | 1 st |

The standard saw comes with a progressive saw blade for cutting dry/wet wood, 1031-2086.



▶ CHANGE SAW BLADE



▶ UNFOLD SAW



138-24 MULTI SAW

Universal, foldable saw with 1010-2024 for metal. 24 teeth per inch. Blade thickness 0,9 mm



Art. no 138-24
Length 200 mm



138-31 MULTI SAW

Universal, foldable saw with blade 1031-2086 for wood. Very fast and clean cutting. Blade thickness 1,3 mm.



Art. no 138-31
Length 200 mm



138-34 MULTI SAW

Universal, foldable saw with pruning blade 1034-2006. Pruning and cutting in damp wood and trees. Blade thickness 1,5 mm.



Art. no 138-34
Length 8"-200 mm



▶ SPECIAL SAWS FOR WOOD

150H COMPASS SAW

For cutting holes, slots, etc. Plastic handle. Extra thick blade for increased stability. Universal toothing 7 teeth/inch. Hardpoint finish.



Art. no 150H12
Length 12" - 300 mm



265 PULL SAW

Cuts on pull stroke. Rubber grip for secure grip. Thickness of blade 0,6 mm. 16 teeth per 30 mm.

Art. no 265



390 PULL SAW

Double-toothed, with one cross-cut toothing with 15 teeth per inch and one progressive toothing for split sawing. Blade thickness 0,50 mm.

Art. no 390
Length 240 mm



SPECIAL SAWS FOR METAL

12 HACK SAW

A combination saw for both wood and metal. The saw is supplied with our wooden blade no. G10H and with a Bi-metal hack saw blade. The blades can be adjusted at any angle to allow cutting in narrow spaces.

Art. no 12
Length 12" -300 mm



10 HACK SAW

of durable, compact construction. Comfortable handle made of impact resistant ABS-plastic. Blade can be adjusted to 4 different positions at 90° intervals. Assembled with carbon steel blade.

Art. no 10
Length 12" - 300 mm 24 teeth/inch



3000-01GM HACK SAW

Professional hack saw with soft-grip. Supplied with Bi-metal blade 3003-3024.

Art. no 3000-01
Length 12" - 300 mm 24 teeth/inch



3000-10 JUNIOR HACKSAW FRAME

Art. no 3000-10



3000-12 JUNIOR HACKSAW FRAME

Art. no 3000-12



JUNIOR HACK SAW BLADES CARBON STEEL



| Art. no | Packing | Dim L x W x T mm | Teeth/inch | Tooth pitch mm | Recommended use |
|-----------|--------------------|------------------|------------|----------------|-----------------|
| 3011-1532 | 10-pack / 100-pack | 150 x 6 x 0,5 | 32 | 0,8 | Metals |

HACKSAW BLADES

We offer our hacksaw blades in two different qualities – carbon steel and bi-metal.

Bi-metal blades – blades of this type have a cobalt alloy high speed steel cutting edge welded to a flexible spring steel back. This combination creates a sawblade with exceptional cutting performance and wear resistance.

3040 HACKSAW BLADES


Spare blade of carbon steel quality.
Supplied in packages of 2 or 100 blades.



| Art. no | Packing | Dim L x W x T mm | Teeth/inch | Tooth pitch mm | Recommended use |
|-------------|-----------------|------------------|------------|----------------|---------------------|
| 3040-3024GM | 2-pack/100-pack | 300 x 12,5 x 0,6 | 24 | 1,1 | Metals 2–6 mm thick |

3003 HACKSAW BLADES

Spare blades of bi-metal.
Supplied in packages of 2 or 100 blades.




| Art. no | Packing | Dim L x W x T mm | Teeth/inch | Tooth pitch mm | Recommended use |
|-------------|-----------------|------------------|------------|----------------|--|
| 3003-3018GM | 2-pack/100-pack | 300 x 12,5 x 0,6 | 18 | 1,4 | Metals thicker than 4 mm |
| 3003-3024GM | 2-pack/100-pack | 300 x 12,5 x 0,6 | 24 | 1,1 | Metals 2–6 mm thick |
| 3003-3032GM | 2-pack/100-pack | 300 x 12,5 x 0,6 | 32 | 0,8 | Metals thinner than 3 mm |
| 3003-3090GM | 2-pack/100-pack | 300 x 12,5 x 0,6 | 18–32 | 0,8–1,4 | Metals all dimensions Progressive toothting |

BOW SAWS & BLADES

The bow saw frames are made from high tensile steel tubing, stove enamelled in orange colour, with zinc-plated tension levers. They are also fitted with safety rivets that do not fall out when changing the blade. Assembled with re-useable plastic blade guards.


The saw blades for wood are available with 5 different tooth shapes. Most of the blades are produced in hardpoint finish, rust protected and individually packed in attractive carton sleeves.




G-MAN bow saws are available in sizes and variations for all needs. From the small mini saw 149 for garden and camping use to the large model 140, suitable for carpentry work on building sites and for firewood cutting.



Most of our bow saws can also be obtained with a plastic knuckle guard for comfortable and safe grip.



The saw blades for wood are available with 5 different tooth shapes.




Most of the blades are produced in hardpoint finish and are rust protected



Standard range of saw blades (H = Hardpoint finish)

| inch | 12 | 15 | 16 | 18 | 20 | 21 | 24 | 28 | 30 | 32 | 36 | 39 | 42 |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| mm | 300 | 380 | 400 | 450 | 500 | 530 | 610 | 710 | 760 | 810 | 915 | 990 | 1065 |
| G5H | X | | | | | X | X | | | | | | |
| G10H | X | X | X | X | | X | X | | X | | | | |
| G40H | | | | | | | X | X | X | X | X | X | X |
| G30SH | X | X | X | X | X | X | X | | | | | | |
| G30BH | | | | | | | | X | X | X | X | X | X |
| G50 | | | | | | X | | | | | | | |
| G6524 | | | | | | | X | | | | | | |



G5H Extra fine, special setting, straight-tooth form for pruning and seasoned wood.

G10H Fine, straight-tooth form for pruning and seasoned wood.

G40H Coarse, straight-tooth form for seasoned wood.

G30SH Fine raker toothing for fresh/green wood.

G30BH Coarse raker toothing for fresh/green wood.

G5021 Meat saw blade.

G6524 Metal saw blade, extra fine toothing 32 teeth/inch for cutting of thin and soft metal.

145

Light-weight model with low front end, which makes it ideal for camping and garden pruning. Comes with our blade G10H as standard. Assembled with knuckle guard.

Art. no 145-21
Length 21" - 530 mm



147

All-purpose bow saw. Light-weight model with high front end. Comes with our blade G10H as standard. Assembled with knuckle guard.

Art. no 147-18
Length 18" - 450 mm

Art. no 147-21
Length 21" - 530 mm



140

Light-weight model with tapered frame. Suitable for carpentry work on building sites, clearing jobs and for firewood cutting. As standard supplied with blade G10H in 24 and 30 inch saws and with blade G40H for the 36 inch saws. Assembled with knuckle guard for all lengths except for 36".

Art. no 140-24
Length 24" - 610 mm

Art. no 140-30
Length 30" - 760 mm

Art. no 140-36
Length 36" - 915 mm



146 GARDEN SAW

Specially designed for tree pruning. Assembled with our G10H blade as standard. Blade can be adjusted at any angle to allow cutting close to the trunk.

Art. no 146-21
Length 21" - 530 mm



149 MINI BOW SAW

Can handle most odd jobs, but also normal garden and camping use. Supplied with our blade G10H as standard.

Art. no 149-15
Length 15" - 380 mm





148 MEAT SAW

in chrome plated finish. For both fresh and deepfrozen meat. Supplied with meat saw blade and knuckle guard.

Art. no 148-21
Length 21" - 530 mm



135-21

A development of our meat saw. It has a chrome plated frame and comes assembled with knuckle guard and provided with 2 blades, one for wood and one for meat.

Art. no 135-21
Length 21" - 530 mm



PRUNING SAWS

G-MAN offers a comprehensive range of saws for pruning. The range includes comfortable handheld saws as well as saws to be used together with extension poles.

All of our pruning saws are today made by grinding technique, which is a guarantee for high and uniform quality. The tooth shapes have been developed for fast and clean cutting performance.



343H PS PRUNING SAW

A specially developed pruning saw with a 2-component handle. The blade has hollow ground finish which ejects saw dust and reduces friction during sawing. The 3-edge teeth are precision ground all the way from the top (tip) down to the bottom (gullet). The rounded narrow nose, makes it easy to reach into tight spaces, without damaging the bark. Supplied in hard point finish.



Art. no 343H10PS
Length 10" - 250 mm

Art. no 343H12PS
Length 12" - 300 mm

232 PS PRUNING SAW

Professional curved pruning saw with extremely sharp 3-edge toothting. Supplied with our 2-component handle (-P) combined with a unique patented holster (-S).



Art. no 232H14PS
Length 14" – 350 mm



344H PRUNING SAW

A specially developed pruning saw with extra thin blade. Only 0,80 mm thick. The thin blade in combination with a extra fine 3 edge-toothting offers a superb cutting performance. Supplied with holster, set and hardened, 8 teeth per inch.



Art. no 344H10PS
Length 10" - 250 mm



345-34 PRUNING SAW

A foldable pruning saw. The handle can be fixed in 3 different angles for most efficient sawing and comfortable grip. The 3-edge teeth are precision ground all the way from the top (tip) to the bottom (gullet). The saw blade has hollow ground finish which ejects saw dust and reduces friction during sawing. Supplied with hard-point finish. 6 teeth per inch.



Art. no 345-34
Length 10" - 250 mm



138-34 MULTI SAW

Universal, foldable saw with pruning blade 1034-2006. Pruning and cutting in damp wood and trees. Blade thickness 1,5 mm.



Art. no 138-34
Length 8"-200 mm





232 PRUNING SAW

with curved blade. Comfortable and strong beech-wood handle. Comes with a 3-edge toothing offering a superb cutting performance and a very smooth cut.



Art. no 232H14
Length 14" - 350 mm



143H12 PRUNING SAW

3-edge toothed blade, hollow ground finish and comfortable strong beach-wood handle. Hardpoint finish.



Art. no 143H12
Length 12" - 300 mm



233 PRUNING SAW

with curved blade and tubular handle. Comes with a newly designed 3-edge toothing offering a superb cutting performance and a very smooth cut. Can be hand-held or mounted onto an extension pole.



Art. no 233H14
Length 14" - 350 mm



233U PRUNING SAW

with curved blade and a comfortable umbrella handle. Comes with a newly designed 3-edge toothing offering a superb cutting performance and a very smooth cut.



Art. no 233H14U
Length 14" - 350 mm



143H12U PRUNING SAW

3-edge toothed blade, hollow ground finish. Delivered with comfortable umbrella handle. Hardpoint finish.



Art. no 143H12U
Length 12" - 300 mm



350LH G-MAN SAMURAI

Professional model with specially ground teeth which gives a superb cutting performance and a very smooth cut. The blade has impulse hardened teeth. Hook at front end prevents the blade from sliding out of the kerf. The handle is also provided with a push knife to clear small branches or to make a sharp cut in the bark.



Art. no 350LH
Length 14" - 350 mm





EXTENSION POLE

2-piece soft grip handle for comfortable grip. The low weight facilitates handling and reduces risk for work injuries. Fits our models with tubular handle, 233 and 350.

Art. no 400 EX

Extension pole with a locking device. Oval tube in aluminium extendable from 2 meters up to 4 meters.

Art. no 550 EX

Extension pole with a locking device. Oval tube in aluminium extendable from 2 meters up to 5,5 meters.

▶ FITS

Art. no 233



Art. no 350



RECIPROCATING BLADES

The range of reciprocating saw blades has been continually extended ever since production commenced in 1988. More than fifty different types are currently available and are divided into three basic categories.

Bi-metal blades

Blades of this type have a cobalt alloy high speed steel cutting edge welded to a flexible spring steel back. This combination creates a sawblade with exceptional cutting performance and wear resistance. The range includes blades for various applications such as metal, wood and heavy-duty demolition work.

Tungsten carbide blades

Suitable for cutting hardwearing materials such as cast iron, building brick, Plexiglas and similar materials.

Carbon steel blades

Used for the easy and accurate sawing of plain wood. Blades made from stainless steel are also available for use with meats.

GUIDE FOR RECIPROCATING BLADES

Use our guide to choose the right reciprocating blade:

| Article No. | Description Reciprocating blade | TPI | Tooth Profile |
|-------------|---------------------------------|-------|-------------------------------|
| 1010-1024 | 100x19x0,9 mm | 24 | Fine toothed |
| 1010-1514 | 150x19x0,9 mm | 14 | Course toothed |
| 1010-1518 | 150x19x0,9 mm | 18 | Fine toothed |
| 1010-1524 | 150x19x0,9 mm | 24 | Fine toothed |
| 1010-1590 | 150x19x0,9 mm | 10-14 | Progressive toothed |
| 1010-2010 | 200x19x0,9 mm | 10 | Course toothed |
| 1010-2014 | 200x19x0,9 mm | 14 | Course toothed |
| 1010-2018 | 200x19x0,9 mm | 18 | Fine toothed |
| 1010-2024 | 200x19x0,9 mm | 24 | Fine toothed |
| 1010-2090 | 200x19x0,9 mm | 10-14 | Progressive toothed |
| 1010-2514 | 250x19x1,3 mm | 14 | Course toothed |
| 1010-2518 | 250x19x0,9 mm | 18 | Fine toothed |
| 1010-3014 | 300x19x0,9 mm | 14 | Course toothed |
| 1010-3018 | 300x19x0,9 mm | 18 | Fine toothed |
| 1011-2377 | 230x25x1,1 mm | 14-18 | Progressive 2+2 toothing |
| 1011-1586 | 150x19x1,3 mm | 6-12 | Progressive 2+2 toothing |
| 1011-2086 | 200x19x1,3 mm | 6-12 | Progressive 2+2 toothing |
| 1013-1585 | 150x19x1,3 mm | 5-8 | Progressive toothed |
| 1013-1590 | 150x19x1,3 mm | 10-14 | Progressive toothed |
| 1013-2085 | 200x19x1,3 mm | 5-8 | Progressive toothed |
| 1013-2090 | 200x19x1,3 mm | 10-14 | Progressive toothed |
| 1013-2585 | 250x19x1,3 mm | 5-8 | Progressive toothed |
| 1013-3085 | 300x19x1,3 mm | 5-8 | Progressive toothed |
| 1013-3090 | 300x19x1,3 mm | 10-14 | Progressive toothed |
| 1014-3006 | 300x32x1,6 mm | 6 | Course toothed |
| 1014-4306 | 430x32x1,6 mm | 6 | Course toothed |
| 1015-2285 | 225x22x1,6 mm | 5-8 | Progressive toothed |
| 1015-2210 | 225x22x1,6 mm | 10 | Course toothed |
| 1015-3085 | 300x22x1,6 mm | 5-8 | Progressive toothed |
| 1015-3010 | 300x22x1,6 mm | 10 | Course toothed |
| 1016-1588 | 150x19x1,3 mm | 8-12 | Progressive toothed |
| 1016-2088 | 200x19x1,3 mm | 8-12 | Progressive toothed |
| 1016-3088 | 300x19x1,3 mm | 8-12 | Progressive toothed |
| 1020-2090 | 200x19x0,9 mm | 10-14 | Progressive toothed |
| 1020-2390 | 200x19x0,9 mm | 10-14 | Progressive toothed |
| 1023-3006 | 300x60x1,2 mm | 6 | 3-edge |
| 1031-2086 | 200x19x1,3 mm | 6-10 | Progressive grinded toothed |
| 1034-2006 | 240x34x1,5 mm | 6 | Conical ground |
| 1034-2506 | 250x34x1,5 mm | 6 | Conical ground |
| 1034-3006 | 300x34x1,5 mm | 6 | Conical ground |
| 1035-2490 | 240x19x1,5 mm | 6 | Course toothed |
| 1041-3003 | 300x25x1,3 mm | 4 | Fine toothed |
| 1043-4003 | 400x25x1,3 mm | 4 | Fin |
| 1045-2000 | 200x19x1,27 mm | - | Wave toothed |
| 1045-3000 | 300x19x1,27 mm | - | Wave toothed |
| 1051-2050 | 200x19x1,1 mm | - | Grit |
| 1051-3050 | 300x19x1,1 mm | - | Grit |
| 1052-1586 | 152x25x1,25 mm | 2-8 | Hardmetal progressive toothed |
| 1052-2386 | 228x25x1,25 mm | 2-8 | Hardmetal progressive toothed |
| 1052-3086 | 305x25x1,25 mm | 2-8 | Hardmetal progressive toothed |
| 1053-2302 | 235x20x1,2 mm | 2 | Course toothed |
| 1053-3002 | 300x20x1,2 mm | 2 | Course toothed |
| 1053-4002 | 400x20x1,2 mm | 2 | Course toothed |
| 1054-4502 | 450x50x1,5 mm | 2 | Course toothed |
| 1055-1218 | 116x17x1 mm | 18 | Fine toothed |
| 1055-1518 | 151x18x1 mm | 18 | Fine toothed |
| 1055-1508 | 150x25x1,25 mm | 8 | Hardmetal medium toothed |
| 1055-2308 | 225x25x1,25 mm | 8 | Hardmetal medium toothed |
| 1055-3008 | 300x25x1,25 mm | 8 | Hardmetal medium toothed |
| 1057-1508 | 150x20x1,35 mm | 8 | Hardmetal medium toothed |
| 1057-2308 | 225x20x1,35 mm | 8 | Hardmetal medium toothed |
| 1058-2050 | 200x19x1,1 mm | - | Diamond Grit |
| 1110-1508 | 150x25x1,6 mm | 8 | Course toothed |
| 1110-2008 | 200x25x1,6 mm | 8 | Course toothed |
| 1110-3008 | 300x25x1,6 mm | 8 | Course toothed |
| 1111-1590 | 150x25x1,1 mm | 10-14 | Progressive toothed |
| 1111-2090 | 200x25x1,1 mm | 10-14 | Progressive toothed |
| 1111-3090 | 300x25x1,1 mm | 10-14 | Progressive toothed |
| 1011-2378 | 230x25x1,25 mm | 8-10 | Progressive 2+2 toothing |


| Tooth material | Thickness of application | Wood | Wood with nails | Fresh wood | Wood/chip boards | Plastic | Glass-fibre | Insulation/leather | Inox/stainless steel | Iron/Steel 0-2 mm | Iron/Steel 2-4 mm | Iron/Steel >4mm | Soft metal, ex. Aluminium | Cast Iron | Gas-formed concrete | Bricks | Tiles/ceramic | Meat |
|----------------|--------------------------|------|-----------------|------------|------------------|---------|-------------|--------------------|----------------------|-------------------|-------------------|-----------------|---------------------------|-----------|---------------------|--------|---------------|------|
| BIM | 1,5-4 mm | | | | | | | | | X | X | | X | | | | | |
| BIM | 2-8 mm | | X | | | | | | X | | | X | X | | | | | |
| BIM | 1,5-4 mm | | | | | | | | | X | X | | X | | | | | |
| BIM | 2-4 mm | | | | | | | | | X | X | | X | | | | | |
| BIM | 3-100 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 3-12 mm | X | X | | | | | | | | | | X | X | | | | |
| BIM | 2-8 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 1,5-4 mm | | | | | | | | | | X | | X | | | | | |
| BIM | 2-4 mm | | | | | | | | X | | | | X | | | | | |
| BIM | 3-150 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 2-8 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 1,5-4 mm | | | | | | | | | | X | | X | | | | | |
| BIM | 2-8 mm | | X | | | | | | X | | | | X | X | | | | |
| BIM | 1,5-4 mm | | | | | | | | | | X | | X | | | | | |
| BIM | 1,5-4 mm | | | | | | | | X | | X | | X | X | | | | |
| BIM | 1-100 mm | X | X | | X | | | | | | | | X | | | | | |
| BIM | 4-150 mm | X | X | | X | | | | | | | | X | | | | | |
| BIM | 4-100 mm | X | | | | X | | | | | | | | | | | | |
| BIM | 3-100 mm | | X | | | | | | | | | | X | | X | | | |
| BIM | 4-150 mm | X | | | | X | | | | | | | | | | | | |
| BIM | 3-150 mm | | X | | | | | | | | | | X | | X | | | |
| BIM | 4-200 mm | X | | | | X | | | | | | | | | | | | |
| BIM | 4-250 mm | X | | | | X | | | | | | | | | | | | |
| BIM | 3-250 mm | | X | | | | | | | | | | X | | X | | | |
| BIM | 60-250 mm | X | X | | | | | | | | | | | | X | | | |
| BIM | 60-350 mm | X | X | | | | | | | | | | | | X | | | |
| BIM | 4-170 mm | X | X | | X | | | | | | | | | | X | | | |
| BIM | 3-170 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 4-250 mm | X | X | | X | | | | | | | | | | X | | | |
| BIM | 3-250 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 3-100 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 3-150 mm | | X | | | | | | | | | | X | X | | | | |
| BIM | 3-150 mm | | X | X | | | | | | | | | | | | | | |
| BIM | 3-170 mm | | X | X | | | | | | | | | | | | | | |
| HCS | 25-300 mm | X | | | | | | | | | | | | | | | | |
| HCS | 10-150 mm | X | | X | X | | | X | | | | | | | | | | |
| HCS | 25-150 mm | X | | | | | | | | | | | | | | | | |
| HCS | 25-200 mm | X | | | | | | | | | | | | | | | | |
| HCS | 25-300 mm | X | | | | | | | | | | | | | | | | |
| HCS | 25-200 mm | X | | | | | | | | | | | | | | | | |
| INOX | 35-250 mm | | | | | | | | | | | | | | | | | X |
| INOX | 35-350 mm | | | | | | | | | | | | | | | | | X |
| HCS | 3-150 mm | | | X | | | | X | | | | | | | | | | |
| HCS | 3-250 mm | | | X | | | | X | | | | | | | | | | |
| CARBIDE TEETH | 2-150 mm | | | X | | | | | | | | | | X | | | X | |
| CARBIDE TEETH | 2-250 mm | | | | | | | | | | | | | | | | | |
| CARBIDE TEETH | 6-100 mm | X | X | | X | | X | | | | | | | | X | X | | |
| CARBIDE TEETH | 6-170 mm | X | X | | X | | X | | | | | | | | X | X | | |
| CARBIDE TEETH | 6-250 mm | X | X | | X | | X | | | | | | | | X | X | | |
| CARBIDE TEETH | 30-170 mm | | | | | | | | | | | | | | X | X | | |
| CARBIDE TEETH | 30-250 mm | | | | | | | | | | | | | | | | | |
| CARBIDE TEETH | 30-350 mm | | | | | | | | | | | | | | X | X | | |
| CARBIDE TEETH | 30-400 mm | | | | | | | | | | | | | | X | X | | |
| CARBIDE TEETH | 2-4 mm | | | | | | X | | X | | | | | | | | | |
| CARBIDE TEETH | 2-4 mm | | | | | | X | | X | | | | | | | | | |
| CARBIDE TEETH | 4-100 mm | | | | | | | | X | | | | | X | | | | |
| CARBIDE TEETH | 4-170 mm | | | | | | | | X | | | | | X | | | | |
| CARBIDE TEETH | 4-250 mm | | | | | | | | X | | | | | X | | | | |
| CARBIDE TEETH | 2-100 mm | | | | | | | | X | | | | | X | | | | |
| CARBIDE TEETH | 2-170 mm | | | | | | | | X | | | | | X | | | | |
| DIA | 2-100 mm | | | | | | | | | | | | X | X | | | X | |
| BIM | <6 mm | X | X | | | | | | | | | | X | X | | | | |
| BIM | <6 mm | X | X | | | | | | | | | | X | X | | | | |
| BIM | <6 mm | X | X | | | | | | | | | | X | X | | | | |
| BIM | 3-100 mm | | X | | | | | | X | | | | X | X | | | | |
| BIM | 3-150 mm | | X | | | | | | X | | | | X | X | | | | |
| BIM | 3-250 mm | | X | | | | | | X | | | | X | X | | | | |
| BIM | 4-12 mm | | | | | | | | X | | X | | X | | | | | |

▶ RECIPROCATING BLADES **BI-METAL**



Thin wall pipes and sheet metals 2–4 mm thick.
24 teeth/inch. Tooth pitch 1,1 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1010-1024GM | 100 x 19 x 0,9 mm |
| 1010-1524GM | 150 x 19 x 0,9 mm |
| 1010-2024GM | 200 x 19 x 0,9 mm |



Metals; pipes and solid materials 4–8 mm thick.
Also suitable for stainless steel and nail-embedded
wood. 14 teeth/inch. Tooth pitch 1,8 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1010-1514GM | 150 x 19 x 0,9 |
| 1010-2014GM | 200 x 19 x 0,9 TOP! |
| 1010-2514GM | 250 x 19 x 0,9 |
| 1010-3014GM | 300 x 19 x 0,9 |



Metals; pipes and solid materials 3–6 mm thick.
18 teeth/inch. Tooth pitch 1,4 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1010-1518GM | 150 x 19 x 0,9 |
| 1010-2018GM | 200 x 19 x 0,9 |
| 1010-2518GM | 250 x 19 x 0,9 |
| 1010-3018GM | 300 x 19 x 0,9 |



Metals; pipes and solid materials 5–10 mm thick.
Nail-embedded wood. 10/14 teeth/inch.
Tooth pitch 1,8/2,5 mm. 5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1010-1590GM | 150 x 19 x 0,9 |
| 1010-2090GM | 200 x 19 x 0,9 TOP! |



Metals; pipes and solid materials thicker than
6 mm. Nail-embedded wood. 10 teeth/inch.
Tooth pitch 2,5 mm. 5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1010-2010GM | 200 x 19 x 0,9 |



Wood and metal. Progressive tootinging.
8-14 teeth/inch. Tooth pitch 1,8/3,2 mm.
6-12 teeth/inch. Tooth pitch 2,1/4,3 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1011-1586GM | 150 x 19 x 1,3 |
| 1011-2086GM | 200 x 19 x 1,3 |



Wood and plastics. Fast cutting.
5/8 teeth/inch. Tooth pitch 3,2/5,1 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1013-1585GM | 150 x 19 x 1,3 |
| 1013-2085GM | 200 x 19 x 1,3 |
| 1013-2585GM | 250 x 19 x 1,3 |
| 1013-3085GM | 300 x 19 x 1,3 |

TOP!



Metals; pipes and solid materials 5-10 mm thick.
Nail-embedded wood. Cast iron pipes.
10/14 teeth/inch. Tooth pitch 1,8/2,5 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1013-1590GM | 150 x 19 x 1,3 |
| 1013-2090GM | 200 x 19 x 1,3 |
| 1013-3090GM | 300 x 19 x 1,3 |



Heavy metals; pipes and solid materials.
Perpendicular/fine cutting. Max Ø 175 mm.
14/18 teeth/inch. Tooth pitch 2,5/1,4 mm.
8-10 teeth/inch. Tooth pitch 2,5/1,4 mm.
5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1011-2377GM | 230 x 25 x 1,1 |
| 1011-2378GM | 230 x 25 x 1,1 |



Lightweight concrete. Demolition work.
Nail-embedded wood. 6 teeth/inch.
Tooth pitch 4,2 mm. 1-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1014-3006GM | 300 x 32 x 1,6 |
| 1014-4306GM | 430 x 32 x 1,6 |

▶ RECIPROCATING BLADES **BI-METAL**




Demolition work. Nail-embedded wood.
Fast cutting. 6 teeth/inch. Tooth pitch 4,2 mm.
5-pack/50-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1015-2285GM | 225 x 22 x 1,6 TOP! |
| 1015-3085GM | 300 x 22 x 1,6 |



Demolition work. Nail-embedded wood. Straight cuts in metals; pipes and solid materials thicker than 6 mm. 10 teeth/inch. Tooth pitch 2,5 mm.
5-pack/50-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1015-2210GM | 225 x 22 x 1,6 |
| 1015-3010GM | 300 x 22 x 1,6 |



Straight and efficient cutting in nail-embedded wood and metals; pipes and solid materials thicker than 6 mm. 8/12 teeth/inch. Tooth pitch 2,1/3,2 mm. 5-pack/50-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1016-1588GM | 150 x 19 x 1,3 |
| 1016-2088GM | 200 x 19 x 1,3 TOP! |
| 1016-3088GM | 300 x 19 x 1,3 |



Renovation of wooden pallets etc.
Nail-embedded wood. 10/14 teeth/inch.
Tooth pitch 1,8/2,5mm. 50-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1020-2090GM | 200 x 19 x 0,9 |
| 1020-2390GM | 230 x 19 x 0,9 |



Rubber, cellular plastic, leather.
2-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1045-2000GM | 200 x 19 x 1,3 |
| 1045-3000GM | 300 x 19 x 1,3 |

▶ RECIPROCATING BLADES **CARBON STEEL**



Wood. Very fast and clean cutting.
6-10 teeth/inch. Tooth pitch 2,5-4,2 mm.
Progressive toothting. 5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1031-2086GM | 200 x 19 x 1,3 |



Wood. Very fast cutting. Pruning and cutting
in damp wood and trees. 6 teeth/inch.
Tooth pitch 4,2 mm. 2-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1034-2006GM | 200 x 35 x 1,5 |
| 1034-2506GM | 250 x 35 x 1,5 |
| 1034-3006GM | 300 x 35 x 1,5 |

TOP!



Wood. Fast cutting. Pruning and cutting in
damp wood and trees. 4/5 teeth/inch.
Tooth pitch 5,0/6,5 mm. 5-pack/50-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1035-2490GM | 240 x 19 x 1,5 |



Wood, very fast cutting. Pruning and cutting
in damp wood and fresh trees. 6 teeth/inch.
Tooth pitch 4,2 mm. 2-pack.

| Art. no | Dimension Overall length x width x thickness |
|-----------|---|
| 1023-3006 | 300 x 60 x 1,2 |



Meat cutting (stainless steel quality blade).
4 teeth/inch. Tooth pitch 6,5 mm. 1-pack.


| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1041-3004GM | 300 x 20 x 1,3 |
| 1043-4003GM | 400 x 25 x 1,3 |

▶ RECIPROCATING BLADES **TUNGSTEN CARBIDE**



Cast iron, tiles, ceramics. Tungsten Grit.
5-pack/50-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1051-2050GM | 200 x 19 x 1,1 TOP! |
| 1051-3050GM | 300 x 19 x 1,1 |



Cast iron, tiles, ceramics. Diamond. 2-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1058-2050GM | 200 x 19 x 1,1 |



Stainless steel. 18 teeth/inch. 1-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1055-1218GM | 116 x 17 x 1 |
| 1055-1518GM | 151 x 19 x 1 |



Bricks, lightweight concrete, LECA bricks.
2 teeth/inch. Tooth pitch 12,7 mm. 1-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1053-2302GM | 235 x 20 x 1,2 |
| 1053-3002GM | 300 x 20 x 1,2 |
| 1053-4002GM | 400 x 20 x 1,2 |



Bricks, lightweight concrete, LECA bricks.
2 teeth/inch. Tooth pitch 12,7mm. 1-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 1054-4502GM | 450 x 50 x 1,4 |



Wood and metal. 6-8 teeth/inch.
1-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1052-1586GM | 152x25x1,25 |
| 1052-2386GM | 228x25x1,25 |
| 1052-3086GM | 305x25x1,25 |



Metals, incl. high alloy steel and cast iron.
8 teeth/inch. 1-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1055-1508GM | 150 x 25 x 1,25 |
| 1055-2308GM | 230 x 25 x 1,25 |
| 1055-3008GM | 300 x 25 x 1,25 |



Vehicle Rescue. High and ultra high alloy steel.
8 teeth/inch. 1-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1057-1508GM | 150 x 20 x 1,35 |
| 1057-2308GM | 230 x 20 x 1,35 |

U-SHANK

▶ RECIPROCATING BLADES TUNGSTEN CARBIDE



Metals; pipes and solid materials thicker than 6 mm.
8 teeth/inch. Tooth pitch 3,2 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1110-1508GM | 140 x 25 x 1,6 |
| 1110-2008GM | 200 x 25 x 1,6 |
| 1110-3008GM | 260 x 25 x 1,6 |



Metals; pipes and solid materials 3-10 mm thick.
10/14 teeth/inch. Tooth pitch 1,8/2,5 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 1111-1590GM | 150 x 25 x 0,9 |
| 1111-2090GM | 200 x 25 x 0,9 |
| 1111-3090GM | 260 x 25 x 0,9 |

JIGSAW BLADES

G-MAN jigsaw blades are specially designed for a wide variety of applications:

Carbon steel blades with cross sharpened and set teeth enable faster cutting than blades with milled and set teeth. Suitable for both wood and plastics.

Carbon steel blades with cross sharpened teeth and conical ground are used for accurate and clean cuts in both wood and plastics.

Bi-metal blades are available for cutting metals, clean wood and nail-embedded wood.

Tungsten carbide blades are intended for use with hardwearing materials such as tiles, plaster, fibreglass, eternite and building brick, etc.

GUIDE FOR JIGSAW BLADES

Use our guide to choose the right jigsaw blade.

| Article No. | Description Jigsaw blade | TPI | Tooth Profile |
|--------------|--------------------------|-------|----------------------|
| 2022-0725 | 75x8x1,5 mm | 10 | Fine toothed |
| 2022-0740 | 75x8x1,5 mm | 6 | Course toothed |
| 2022-0799 | 75x8x1,5 mm | 10 | Reverse toothed |
| 2035-0512 | 50x8x1,0 mm | 21 | Fine toothed |
| 2039-0502 | 55x8x1,0 mm | - | Grit |
| 2002-0725 | 75x8x1,5 mm | 10 | Conical ground |
| 2002-0740 | 75x8x1,5 mm | 6 | Conical ground |
| 2002-0799 | 75x8x1,5 mm | 10 | Reverse toothed |
| 2002-0840 | 85x8x1,5 mm | 10 | Conical ground |
| 2002-1040 | 105x10x1,5 mm | 6 | Conical ground |
| 2002-0900 | 93x9x1,5 mm | 8-12 | Progressive toothing |
| 2005-0513 | 50x5x1,3 mm | 20 | Conical ground |
| 2007-0725 | 75x8x1,3 mm | 10 | Double toothed |
| 2009-0740 | 75x8x1,7 mm | 6 | Conical ground |
| 2013-1500 | 150x8x1,0 mm | - | Wave toothed |
| 2003-0740 | 75x8x1,3 mm | 6 | Ground and set teeth |
| 2003-1240 | 125x9x13 mm | 6 | Ground and set teeth |
| 2003-1540 | 155x9x1,5 mm | 6 | Ground and set teeth |
| 2004-0740 | 75x6x1,3 mm | 6 | Ground and set teeth |
| 2015-0512 | 50x8x1,0 mm | 21 | Fine toothed |
| 2015-0520 | 50x8x1,0 mm | 13 | Course toothed |
| 2015-0700 | 75x8x1 mm | 10-21 | Progressive toothing |
| 2015-0730 | 75x8x1,0 mm | 8 | Course toothed |
| 2015-1012 | 50x8x1,0 mm | 21 | Fine toothed |
| 2015-1100 | 108x10x1,25 mm | 5-10 | Progressive toothing |
| 2015-1020 | 100x8x1,0 mm | 13 | Course toothed |
| 2015-2010 | 155x8x1,0 mm | 24 | Fine toothed |
| 2016-0740 | 75x8x1,3 mm | 6 | Course toothed |
| 2017-0725 | 75x8x1,3 mm | 10 | Course toothed |
| 2008-0823 | 82x9x1,0 mm | 23 | Fine toothed |
| 2019-0502 | 55x8x1,0 mm | - | Grit |
| 2019-0740 | 70x8x1,3 mm | 6 | Course toothed |
| 2019-1040 | 100x8x1,3 mm | 6 | Course toothed |
| 2000-T101AIF | 75 mm | 10 | Straight toothed |

| Tooth material | Thickness of application | Wood | Wood with nails | Fresh wood | Wood/chip boards | Plastic | Glass-fibre | Insulation/leather | Inox/stainless steel | Iron/Steel 0-2 mm | Iron/Steel 2-4 mm | Iron/Steel >4mm | Soft metal, ex. Aluminium | Cast Iron | Gas-formed concrete | Bricks | Tiles/ceramic |
|----------------|--------------------------|------|-----------------|------------|------------------|---------|-------------|--------------------|----------------------|-------------------|-------------------|-----------------|---------------------------|-----------|---------------------|--------|---------------|
| HCS | 3-30 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 3-30 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 3-30 mm | X | | | X | X | | | | | | | | | | | |
| BIM | 1-30 mm | | | | | | | | | X | X | | X | | | | |
| CARBIDE GRIT | 5-15 mm | | | | | | | | | | | | | | | | X |
| HCS | 3-30 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 10-50 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 3-30 mm | X | | | X | | | | | | | | | | | | |
| HCS | 8-65 mm | X | | | X | | | | | | | | | | | | |
| HCS | 8-65 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 2-40 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 2-15 mm | | | | | | | | | | | | | | | | |
| HCS | 2,5-35 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 10-45 mm | X | | | X | X | | | | | | | | | | | |
| HCS | 1-120 mm | | | | | | | X | | | | | | | | | |
| HCS | 5-50 mm | X | | | X | | | | | | | | | | | | |
| HCS | 5-120 mm | X | | | X | | | | | | | | | | | | |
| HCS | 5-150 mm | X | | | X | | | | | | | | | | | | |
| HCS | 5-50 mm | X | | | | | | | | | | | | | | | |
| BIM | 1,2-3 mm | | | | | | | | | X | X | | | | | | |
| BIM | 2,5-6 mm | | | | X | | | | | | | | X | X | | | |
| BIM | 3-15 mm | | | | | | | | X | X | X | | | | | | |
| BIM | 3-30 mm | | | | | X | | | | | | | X | X | | | |
| BIM | 1-30 mm | | X | | | | | | | X | X | | | | | | |
| BIM | 3-30 mm | X | | | X | X | | | | | | | | | X | | |
| BIM | 2,5-6 mm | | X | | X | | | | | | | | X | X | | | |
| BIM | 2-160 mm | | | | | | | | | X | X | | | | | | |
| BIM | 5-50 mm | X | | | X | | | | | | | | | | | | |
| BIM | 3-30 mm | X | | | X | X | X | | | | | | | X | | | |
| CARBIDE TEETH | 1,5-3 mm | | | | | | X | | X | | | | | | | | |
| CARBIDE TEETH | 5-15 mm | | | | | | | | | | | | | | | | X |
| CARBIDE TEETH | 5-20 mm | x | | | | X | X | | | | | | | | | | |
| CARBIDE TEETH | 5-80 mm | X | | | | X | X | | | | | | | | | X | |
| HCS | 2-30 mm | X | | | X | | | | | | | | | | | X | |

1/4" UNIVERSAL SHANK

JIGSAW BLADES **CARBON STEEL, CROSS SHARPENED TEETH, CONICAL GROUND**



Clean cutting in wood, plywood, chipboards and plastics.
10 teeth/inch. Tooth pitch 2,5 mm.
6 teeth/inch. Tooth pitch 4,0 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 2022-0725GM | 75 x 8 x 1,5 |
| 2022-0740GM | 75 x 8 x 1,5 |



Reversed toothing. Non-splitting cuts in laminates.
Clean cutting. 10 teeth/inch. Tooth pitch 2,5 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 2022-0799GM | 75 x 8 x 1,5 |

JIGSAW BLADES **BI-METAL**



Clean cutting in metal profiles and sheet metals thinner than 4 mm. 21 teeth/inch.
Tooth pitch 1,2 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 2035-0512GM | 50 x 8 x 1,0 |

JIGSAW BLADES **TUNGSTEN CARBIDE**



Ceramics, tiles, glass. Tungsten Grit. 1-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------|---|
| 2039-0502GM | 55 x 8 x 1,0 |

SHANK FOR BOSCH A.O.

▶ JIGSAW BLADES **CARBON STEEL, CROSS SHARPENED TEETH, CONICAL GROUND**



Clean cutting in wood, plywood, chipboards and plastics.
10 teeth/inch. Tooth pitch 2,5 mm.
6 teeth/inch. Tooth pitch 4,0 mm.
10 teeth/inch. Reversed tooth pitch 2,5 mm.
5-pack.

| Art. no | Dimension Overall length x width x thickness |
|----------------------|---|
| 2002-0725GM (T101B) | 75 x 8 x 1,5 |
| 2002-0740GM (T101D) | 75 x 8 x 1,5 |
| 2002-0799GM (T101BR) | 75 x 8 x 1,5 |



Fast and clean cutting in wood, chipboards and plastics. 6 teeth/inch. Tooth pitch 4,0 mm.
5-pack.

| Art. no | Dimension Overall length x width x thickness |
|----------------------|---|
| 2002-0840GM (T301CD) | 85 x 8 x 1,5 |
| 2002-1040GM (T301DL) | 105 x 10 x 1,5 |



Progressive toothed and conical ground for fast cuts in soft wood, chipboards etc. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|---------------------|---|
| 2002-0900GM (T234X) | 93 x 9,5 x 1,5 |



Clean contour cutting in wood, plywood and plastics. 20 teeth/inch. Tooth pitch 1,3 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|----------------------|---|
| 2005-0513GM (T101AO) | 50 x 5 x 1,3 |



Contour cutting in wood, plywood and chipboards. (The blade has a toothed back). 10 teeth/inch. Tooth pitch 2,5 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-----------------|---|
| 2007-0725GM (-) | 75 x 8 x 1,3 |



Precise parallell cuts in wood, chipboards and plastics. 6 teeth/inch. Tooth pitch 4,0 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|----------------------|---|
| 2009-0740GM (T101DP) | 75 x 8 x 1,7 |

▶ JIGSAW BLADES **CARBON STEEL, WAVY TEETH**



Rubber, cellular plastic, leather. 2-pack.

| Art. no | Dimension |
|-------------|------------------------------------|
| | Overall length x width x thickness |
| 2013-1500GM | 150 x 8 x 1,0 |

▶ JIGSAW BLADES **CARBON STEEL, CROSS SHARPENED, SET TEETH**



Fast and coarse cutting in wood, plywood and chipboards. 6 teeth/inch. Tooth pitch 4,0 mm. 5-pack.

| Art. no | Dimension |
|---------------------|------------------------------------|
| | Overall length x width x thickness |
| 2003-0740GM (T144D) | 75 x 8 x 1,3 TOP! |
| 2003-1240GM (T344D) | 125 x 9 x 1,3 |
| 2003-1540GM (-) | 155 x 9 x 1,5 |



Fast and coarse cutting in wood, plywood and chipboards. Contour cutting. 6 teeth/inch. Tooth pitch 4,0 mm. 5-pack.

| Art. no | Dimension |
|---------------------|------------------------------------|
| | Overall length x width x thickness |
| 2004-0740GM (T244D) | 75 x 6 x 1,3 |

▶ JIGSAW BLADES **BI-METAL**



Clean cutting in metal profiles and sheet metals thinner than 4 mm. 21 teeth/inch. Tooth pitch 1,2 mm. 24 teeth/inch. Tooth pitch 1,0 mm. 5-pack.

| Art. no | Dimension |
|----------------------|------------------------------------|
| | Overall length x width x thickness |
| 2015-0512GM (T118AF) | 50 x 8 x 1,0 |
| 2015-1012GM (T318AF) | 100 x 8 x 1,0 |
| 2015-2010GM (-) | 155 x 8 x 1,0 |



Clean cutting in metal profiles and sheet metals 3–6 mm thick. Sandwich materials. 13 teeth/inch. Tooth pitch 2,0 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------------------|---|
| 2015-0520GM (T118BF) | 50 x 8 x 1,0 |
| 2015-1020GM (T318BF) | 155 x 8 x 1,0 |



Progressive bi-metal blade for metal sheet between 3–15 mm, tubes and profiles <30 mm. 10–12 teeth/inch. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------------------|---|
| 2015-0700GM (T123XF) | 75 x 8 x 1,0 |



Progressive bi-metal blade for nail inbeded wood, profiles and tubes between 3–10 mm. 5–10 teeth/inch. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------------------|---|
| 2015-1100GM (T345XF) | 108 x 10 x 1,25 |



Nail-embedded wood, plastics, aluminium. Soft metals 5–10 mm thick. 8 teeth/inch. Tooth pitch 3,0 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------------------|---|
| 2015-0730GM (T127DF) | 75 x 8 x 1,0 |



Fast and coarse cutting in wood, plywood, chipboards glued panels. 6 teeth/inch. Tooth pitch 4,0 mm. 10 teeth/inch. Tooth pitch 2,5 mm. 10 teeth/inch. Tooth pitch 2,5 mm. 5-pack.

| Art. no | Dimension Overall length x width x thickness |
|-------------------------|---|
| 2016-0740GM (T144DF) | 75 x 8 x 1,3 |
| 2017-0725GM (T101BF) | 75 x 8 x 1,3 |
| 2015-0725 (T101A1F) | 75 x 8 x 1,65 |

▶ JIGSAW BLADES **TUNGSTEN CARBIDE**



Stainless steel. 23 teeth/inch. Tooth pitch 1,1 mm. 1-pack.

| Art. no | Dimension |
|-------------|--|
| 2008-0823GM | Overall length x width x thickness 82 x 9 x 1 |



Ceramics, tiles, glass. Tungsten Grit. 1-pack.

| Art. no | Dimension |
|---------------------------|--|
| 2019-0502GM (T13ORIFF) | Overall length x width x thickness 55 x 8 x 1,0 |



Coarse cutting in hard wood, plaster, fibreglass and bricks. 6 teeth/inch. Tooth pitch 4,0 mm. 1-pack.


| Art. no | Dimension |
|-------------------------|--|
| 2019-0740GM (T141HM) | Overall length x width x thickness 70 x 8 x 1,3 |
| 2019-1040GM (T341HM) | 100 x 8 x 1,3 |

▶ JIG SAW **BLADE SET**

2999-0710-010GM

| Art. no | Pcs. |
|-------------|------|
| 2005-0513GM | 2 |
| 2002-0725GM | 3 |
| 2003-0740GM | 3 |
| 2015-0512GM | 2 |





AIRSAW BLADES

G-MAN air saw blades for use with pneumatic tools are available with three different shanks. All blades are of bi-metal quality. High speed cutting edge welded to a flexible spring steel back.

Four different tooth pitches are available. The finer tooth pitch being used mainly for cutting sheet metal e. g. in bodywork. Select the courser pitches for sawing softer materials such as aluminium and plastics.

2500 SHANK FOR SIG, FLEX A. O.



Aluminium. Soft metals and plastics / Sheet metals.
10-pack/50-pack.

| Art. no | Dimension Toothed length x width x thickness | Teeth /inch | Tooth pitch mm |
|-------------|---|----------------|-------------------|
| 2500-0914GM | 96 x 11,6 x 0,6 | 14 | 1,8 |
| 2500-0918GM | 96 x 11,6 x 0,6 | 18 | 1,4 |
| 2500-0924GM | 96 x 11,6 x 0,6 | 24 | 1,0 |
| 2500-0932GM | 96 x 11,6 x 0,6 | 32 | 0,8 |

2510 STANDARD SHANK



Aluminium. Soft metals and plastics / Sheet metals.
10-pack/50-pack.

| Art. no | Dimension Toothed length x width x thickness | Teeth /inch | Tooth pitch mm |
|-------------|---|----------------|-------------------|
| 2510-0914GM | 97 x 12,5 x 0,6 | 14 | 1,8 |
| 2510-0918GM | 97 x 12,5 x 0,6 | 18 | 1,4 |
| 2510-0924GM | 97 x 12,5 x 0,6 | 24 | 1,0 |
| 2510-0932GM | 97 x 12,5 x 0,6 | 32 | 0,8 |

2515 STANDARD SHANK WITH HOLE



Aluminium. Soft metals and plastics / Sheet metals.
10-pack/50-pack.

| Art. no | Dimension Toothed length x width x thickness | Teeth /inch | Tooth pitch mm |
|-------------|---|----------------|-------------------|
| 2515-0914GM | 97 x 12,5 x 0,6 | 14 | 1,8 |
| 2515-0918GM | 97 x 12,5 x 0,6 | 18 | 1,4 |
| 2515-0924GM | 97 x 12,5 x 0,6 | 24 | 1,0 |
| 2515-0932GM | 97 x 12,5 x 0,6 | 32 | 0,8 |

OSCILLATING SAW BLADES

Accessories for oscillating machines.

We are adding the Starlock blades to our range. The starlock shank can be used with all latest machine models manufactured by Bosch, Makita, Rigid, Milwaukee, Fein as well with all previous models of market standard power tool manufacturers. The patented 3-D shape Starlock shank ensures a secure fit.



STANDARD HCS WOOD

Narrow, waisted blade for fast chip and removal and sawing progress. Side set toothing. For wood, plastic and plaster. High carbon steel with tooth hardened teeth.

Art. no 450-35-01
50x35 mm. 1-pack.



PRECISION HCS WOOD

Wide blade, waisted for fast chip removal. Set 3-edge toothing for all kind of wood, plastic and plaster. High carbon steel with tooth hardened teeth.

Art. no 454-65-01
50x65 mm. 1-pack.



LONG-LIFE BIM WOOD & NAILS

Narrow saw blade. Side set toothing. For wood, plastic, brick, residues and plaster. Bi-metal blade for longer lifetime.

Art. no 451-10-01
30x10 mm. 1-pack.



FINE BIM METAL

Narrow, waisted blade for fast chip removal and sawing progress. Fine toothing for precise and clean cuts. For aluminium, thin sheet metals, non-ferrous metals and fibreglass. Bi-metal for long lifetime.

Art. no 456-30-01
50x30 mm. 1-pack.



UNIVERSAL BIM METAL/WOOD

Wide blade for fast chip removal and sawing progress. Wavy set universal toothing. For wood, plastic, plaster and thin sheet metals, aluminium and non-ferrous metals. Bi-metal blade for longer lifetime.

Art. no 453-44-01
55x44 mm. 1-pack.

HOLE SAWS

In addition to our own manufactured products, our range also includes a wide selection of professional hole saws.

Our hole saws are made from bi-metal steel with a high speed steel cutting edge welded to a tough steel back.


A special tooth design with a variable tooth pitch provides for efficient cutting in wood and metal.

▶ HOLE SAWS BI-METAL

| Art. no | Ø inch | Ø mm |
|------------|---------|------|
| 4001-014GM | 9/16 | 14 |
| 4001-016GM | 5/8 | 16 |
| 4001-017GM | 11/16 | 17 |
| 4001-019GM | 3/4 | 19 |
| 4001-020GM | | 20 |
| 4001-021GM | 13/16 | 21 |
| 4001-022GM | 7/8 | 22 |
| 4001-024GM | 15/16 | 24 |
| 4001-025GM | 1 | 25 |
| 4001-027GM | 1 1/16 | 27 |
| 4001-029GM | 1 1/8 | 29 |
| 4001-030GM | 1 3/16 | 30 |
| 4001-032GM | 1 1/4 | 32 |
| 4001-033GM | 1 5/16 | 33 |
| 4001-035GM | 1 3/8 | 35 |
| 4001-037GM | 1 7/16 | 37 |
| 4001-038GM | 1 1/2 | 38 |
| 4001-040GM | 1 9/16 | 40 |
| 4001-041GM | 1 5/8 | 41 |
| 4001-043GM | 1 11/16 | 43 |
| 4001-044GM | 1 3/4 | 44 |
| 4001-046GM | 1 13/16 | 46 |
| 4001-048GM | 1 7/8 | 48 |
| 4001-050GM | | 50 |

| Art. no | Ø inch | Ø mm |
|------------|--------|------|
| 4001-051GM | 2 | 51 |
| 4001-052GM | 2 1/16 | 52 |
| 4001-054GM | 2 1/8 | 54 |
| 4001-057GM | 2 1/4 | 57 |
| 4001-059GM | 2 5/16 | 59 |
| 4001-060GM | 2 3/8 | 60 |
| 4001-064GM | 2 1/2 | 64 |
| 4001-065GM | 2 9/16 | 65 |
| 4001-067GM | 2 5/8 | 67 |
| 4001-068GM | | 68 |
| 4001-070GM | 2 3/4 | 70 |
| 4001-073GM | 2 7/8 | 73 |
| 4001-075GM | | 75 |
| 4001-076GM | 3 | 76 |
| 4001-079GM | 3 1/8 | 79 |
| 4001-083GM | 3 1/4 | 83 |
| 4001-086GM | 3 3/8 | 86 |
| 4001-089GM | 3 1/2 | 89 |
| 4001-092GM | 3 5/8 | 92 |
| 4001-095GM | 3 3/4 | 95 |
| 4001-098GM | 3 7/8 | 98 |
| 4001-102GM | 4 | 102 |
| 4001-105GM | 4 1/8 | 105 |

| Art. no | Ø inch | Ø mm |
|------------|--------|------|
| 4001-108GM | 4 1/4 | 108 |
| 4001-111GM | 4 3/8 | 111 |
| 4001-114GM | 4 1/2 | 114 |
| 4001-121GM | 4 3/4 | 121 |
| 4001-127GM | 5 | 127 |
| 4001-133GM | 5 1/4 | 133 |
| 4001-140GM | 5 1/2 | 140 |
| 4001-146GM | 5 3/4 | 146 |
| 4001-152GM | 6 | 152 |
| 4001-168GM | 6 5/8 | 168 |



▶ HOLE SAWS **TUNGSTEN CARBIDE**




| Art. no | Ø inch | Ø mm |
|------------|--------|------|
| 4030-019GM | 3/4 | 19 |
| 4030-025GM | 1 | 25 |

▶ HOLE SAW **KITS**



| Art. no | Hole saws Ø mm | Arbors | Accessories |
|---------|--|----------------------|-------------|
| 40801GM | 19, 22, 29, 35, 38, 44, 51, 57, 64 | 40903, 40906, 40909 | 40915 |
| 40803GM | 19, 22, 29, 38, 44, 57 | 40903, 40909 | |
| 40805GM | 22, 29, 35, 44, 51, 64, 76, 92, 105, 114 | 40903, 40906, 40909. | |

▶ ARBORS



| Art. no | Shank mm | tum | Fit saws mm | tum |
|--|----------|------|-------------|-------------|
| 40903GM, 40933GM with Hard metal drill | 9,5 | 3/8 | 14-30 | 9/16-1 3/16 |
| 40906GM | 9,5 | 3/8 | 32-168 | 1 1/4-6 5/8 |
| 40909GM | 11 | 7/16 | 32-168 | 1 1/4-6 5/8 |

▶ ACCESSORIES



| Art. no | Packing | Length | Fit arbor number |
|--|---------|----------------|-----------------------------------|
| 40912GM Pilot drill | 5-pack | 83 mm = 3 1/4" | 40903, 40906, 40909 |
| 40942GM Hard metal drill | 1-pack | 70 mm = 2 3/4" | 40903, 40906, 40909, 40933, 40936 |
| 40914GM Extension (9,5 mm shank) | 1-pack | 300 mm = 12" | 40903, 40906 |
| 40915GM Extension (11 mm shank) | 1-pack | 300 mm = 12" | 40905, 40907, 40909 |



G-MAN TOOLS AB
Box 110 S-828 22 Edsbyn, Sweden
Tel +46 271-583 40
info@g-man.se www.g-man.se