



SPIRIT LEVELS

A NEW LEVEL OF VISIBILITY

2022/2023



ABOUT US

Kapro is a leading manufacturer and developer of innovative hand tools for the professional and DIY markets.

We make the industry's finest quality spirit levels, laser levels and layout & marking tools. Kapro has built a reputation as the industry's foremost innovator with over more than 100 patents worldwide, covering a comprehensive range of professional applications.

GLOBAL DISTRIBUTION NETWORK

Kapro is a major global player with headquarters in Kadarim, Israel and facilities in China and the USA, all wholly owned by Kapro Industries. Our partners' distribution network has created a leading market presence in over 70 countries throughout Europe, America, Asia, Australasia and Africa.

INNOVATION & DESIGN

Kapro's R&D team has revolutionized layout & measuring tool designing giving the market some of its most ground-breaking features:

The invention of the Plumb Site® Dual-view™ changed level design forever: the only level feature in the market providing a frontal view of the plumb vial, eliminating parallax error as well as neck and back strain due to vertical plumb jobs.

The introduction of the Optivision® Red feature set a whole new standard in vial visibility by creating a strong color definition around the spirit levels' bubble; the clearest, most visible vial on the market today.

In addition to these market-changing features, Kapro develops tools especially designed for different professions such as drywall installation, plumbing and electrical work.

In the laser department, our patented strong folding legs for angle mounting and height adjustment with anti-slip grips has made positioning easier and faster.

Kapro's impressive line of powerful Prolaser® levels with multiple combination sets offers customers a staggering array of choices.

QUALITY

Kapro is dedicated to excellence in every aspect of development: production, distribution, sales and marketing.

We use only the highest quality materials and components; from the strongest yet lightest steel and aluminum spirit levels to the most advanced, reliable modules in laser levels.

Kapro is the only level manufacturer in the world to carry the prestigious VPA mark of quality and all our manufacturing facilities are certified compliant with ISO Standards 9001, 14001 and SA8000. All Kapro lasers and electronic products carry FDA and CE certification, comply with RoHS, WEEE and REACH regulations.

Beyond all certifications, Kapro has strict testing standards to which all our products are submitted, to insuring the highest accuracy in the market.

The Kapro brand represents high quality tools with innovative designs.

SERVICE & VALUE

The Kapro team has a culture of service; producing high quality marketing and advertising materials, maintaining a strong web presence and above all, consistently availing ourselves to our customers and responding to their needs.

The Kapro team offers outstanding customer service and high quality, innovative products with added value.

KAPRO TOOLS WITH VISION™



VPA CERTIFICATION

VPA Prüf- und Zertifizierungs GmbH is the leading certification organization that tests, evaluates and certifies the quality and adherence of tools to German standards and regulations.

The German VPA CERTIFIED seal attests to the safety and the quality of the products with comprehensive testing procedures and continuous supervision.

The VPA tests cover:

- Level accuracy according to VPA laboratory standard
- Chemical testing of PAHs for plastics and compliance with German standards
- Reliability and breakage testing to determine the level's strength
- Safety tests according to German standard parameters
- Full-scope inspections according to all the applicable standards and guidelines
- Regular supervision processes

The tests are based on the following regulation

- EC directives
- EN, ISO, IEC standards
- Legal regulations
- National technical standards
- Rules of technology and safety engineering
- Tested Safety (GS) mark


Kapro offers VPA certified products that testify to the highest quality and standards with which we operate and manufacture levels you can rely on and we can be proud of.

Success begins with vision.

At Kapro, we transform great ideas into superbly crafted tools.



Plumb Site®
Dual-View™ Vial
Unique front view of the
vertical vial




Magnified Vial
Better readability



Gradient lines up to 2%
More precise




Precision
Solid acrylic vials are
individually calibrated



UV Resistant
Strong resistance to the
fading effects of sunlight



Magnetic
Powerful magnetic surface
for accurate hands-free
leveling



Reversibility
Up to 0.5mm/m
in all positions




Angle Finder
Transfer angle
measurements




Lifetime Vial Warranty
Solid acrylic vials are
guaranteed not to fog,
leak or break



Shockproof Vials
Superior longevity



Shockproof End Caps
Protects the level's
integrity and accuracy



Milled Surface
Finely milled profile for
accuracy



V-GROOVE
For pipe & conduit
leveling



High impact strike
surface
Along entire top



VPA
Vial accuracy certified by
VPA Germany

KAPRO TOOLS WITH VISION™

CONTENTS


▶	OPTIVISION RED SERIES	7
▶	BOX LEVEL	11
▶	DIGITAL LEVELS.....	19
▶	SPECIALTY LEVELS	22
▶	CAST LEVEL	28
▶	I-BEAM LEVELS	33
▶	TOOLBOX LEVELS	35
▶	POCKET LEVELS	40
▶	POST & PIPE LEVELS	42
▶	LINE & SURFACE LEVELS.....	44
▶	SCREEDS.....	45
▶	LEVELS & SLEEVES BAGS.....	46

OPTIVISION® Red

Creates the effect of strong color definition around the bubble in contrast to the white vial background and clear liquid.

OPTIVISION® RED SERIES

905 CONDOR™ The Professional Box Level with OPTIVISION® Red



- 2 Solid acrylic shockproof vials, including:
 - 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
 - 1 Plumb Site® Dual-View™ vial with RedEffect™
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled base (up to 120cm /48")
- Bridge at horizontal vial for increased body strength
- Continuous marking surface

- Wall-grip
- Ergo Grip™ rubber handle
- Shock-absorbing rubber end caps



Patented

Optional

- Magnetic model: 905M
- 12 Piece display

Inch	24	32	36	40	48	60	72	80
cm	60	80	90	100	120	150	180	200

905DG OPTIVISION® DIGITAL LEVEL



- IP65 rating – Dust & water resistant
- HOLD function
- MODE function: Degree/percentage/pitch (cm/m & in/ft)
- Recalibration function and “False Zero”
- Digital accuracy: 0.05° at level & plumb 0.2° at other angles
- 45° Backlit, tilted LCD display
- 180° Readout – readable when inverted
- Buzzer at 0°, 45° and 90°

- Powerful magnets
- Finely milled base
- Wall-grip
- Large silicone buttons
- Shock-absorbing rubber end caps
- 2 Solid acrylic shockproof vials including:
 - 1 OPTIVISION® Red tilted horizontal vial with gradient lines of up to 2%
- Battery indicator

Patented

Inch	24	48	72
cm	60	120	180

930 SMARTCAST™ Professional Mason's Level with OPTIVISION® Red




Patented

- 2 Solid acrylic shockproof vials, including:
 - 1 Tilted OPTIVISION® Red horizontal vial with gradient lines up to 2%
 - 1 Vertical vial with RedEffect™
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled base
- Bridge at horizontal vial for increased body strength
- Heavy-duty cast aluminum body
- Hanging hole
- Shock-absorbing rubber strike caps & end caps

Inch	16	24	32
cm	40	60	80
Weight	510g	765g	950g

935 OPTIVISION® RED ToolBox Level 25cm (10")




472g

Patented

- 3 Solid acrylic shockproof vials, including:
 - 1 Tilted OPTIVISION® Red horizontal vial with gradient lines up to 2%
 - 1 Vertical vial
 - 1 Angle transfer with gradient markings
 - Accuracy: <0.5mm/m (0.0005 in/in)
 - V-groove base for pipe and conduit leveling
 - Bridge at horizontal vial for increased body strength
 - Heavy-duty cast aluminum tapered body
 - Rare-earth magnets
 - Advanced rubber impact-resistant end caps
- Optional
- A third fixed vial at 45°

946 SMARTY™ Magnetic Cast Aluminum Level 10cm (4")



0.5mm/m (0.0005in/in.)


Patented

- Solid acrylic tilted OPTIVISION® Red horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Durable cast aluminum tapered body
- Large base with rare-earth magnets
- Shock-absorbing rubber side grips
- Belt clip

6 Piece display
24cm x 6.5cm x 21cm
9.4" x 2.55" x 8.2"



705 EAGLE™ OPTIVISION® Red Box Level



0.5mm/m (0.0005in/in.)



- 2 or 3 Solid acrylic shockproof vials, including:
 - 1 OPTIVISION® Red horizontal vial with magnified effect and gradient lines up to 2%
- Accuracy : 0.5mm/m (0.0005 "/>)

- Continuous marking surface
- Milled base (up to 120cm/48")
- Wall-grip
- Bi-material shock-absorbing rubber end caps

OPTIONAL

- Plumb Site® Dual-View™ vial with RedEffect™ : 705P
- Magnetic model: 705M
- 12 Piece display

Patented

Inch	24	32	36	40	48	60	72	80
cm	60	80	90	100	120	150	180	200

BOX LEVELS

995 VULCAN™ The Next Generation

3cm (1.2")

6.6cm (2.6")





 2 mm













 890g/m

- 3 Solid acrylic shockproof vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Magnified horizontal vial with gradient lines up to 2%
 - 1 Vertical vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Finely milled surfaces (up to 120cm /48")
- V-Groove base for pipe and conduit leveling
- Reinforced profile
- Ergonomic handle

- Wall-grip
- Shock-absorbing rubber end caps

Optional

- Magnetic model: 995M
- 12 Piece display

Inch	24	32	36	40	48	60	72	80
cm	60	80	90	100	120	150	180	200

990 ZEUS™ The High-End Professional

3cm (1.2")

6.6cm (2.6")





 2.2mm













 1.10kg/m

- 3 Solid acrylic shockproof, epoxy locked vials including:
 - 2 Plumb Site® Dual-View™ vials
 - 1 Magnified horizontal vial including gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Finely milled surfaces (up to 120cm /48")
- Ergonomic "air-cushioned" handles
- Ergo Grip™ non-slip feature
- Bridge at horizontal vial for increased body strength

- Continuous marking surface
- Air-cushioned shock-absorbing end caps
- Wall-grip

Optional


- Magnetic model: 990M
- 12 Piece display

Inch	24	32	36	40	48	60	72	80	96
cm	60	80	90	100	120	150	180	200	250

900 MANMAX™ Contractor Level



6cm (2.4")



0.5mm/m (0.0005in/in.)



835g/m

- Horizontal vial with gradient lines up to 2%
- Plumb Site® Dual-View™ vial
- 2 Vertical vials
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Finely milled surfaces (up to 120cm/48")
- Ergo Grip™ non-slip handle

Optional

- Magnetic model: 900M
- 12 Piece display

Inch	24	32	36	40	48	60	72	80	96
cm	60	80	90	100	120	150	180	200	250

985 XL APOLLO™ Heavy-Duty Professional Box Level





2.5cm (1")

6cm (2.4")



1.8 mm



835g/m

- 3 Solid acrylic shockproof vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Magnified horizontal vial with gradient lines up to 2%
 - 1 Vertical vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Finely milled surfaces (up to 120cm /48")


- Ergo Grip™ non-slip handle
- Shock-absorbing rubber end caps

Optional

- Magnetic model: 985M
- 12 Piece display

Inch	24	32	36	40	48	60	72	80	96
cm	60	80	90	100	120	150	180	200	250

789P GENESIS™ Contractor Box Level



0.5mm/m (0.0005in/in.)




- 2 to 3 Solid acrylic epoxy locked vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled base (up to 120cm /48")
- Shock-absorbing rubber end caps
- Wall-grip

Optional

- Magnetic Plumb Site® model: 789PM
- Without Plumb Site® model: 789, 789M
- Lightweight model: 789L
- 12 & 24 Piece displays

Inch	24	32	36	40	48	60	72	80	96
cm	60	80	90	100	120	150	180	200	250

787 HELIUS™



0.5mm/m (0.0005in/in.)



- 2 to 3 Solid acrylic shockproof vials, including:
 - 1 Horizontal vial with gradient lines up to 2%
- Finely milled surface (up to 120cm /48")
- Accuracy: <0.5mm/m (0.0005 in/in)
- Wall-grip
- Shock-absorbing rubber end caps

Optional

- Magnetic model: 787M
- 12 Piece display

Inch	16	24	32	40	48
cm	40	60	80	100	120

987XL SATURN™

2.8cm (1.1")



6.5cm (2.6")





1.4mm



0.5mm/m (0.0005in/in.)



736g/m

- 3 Solid acrylic shockproof vials, including:
 - 1 Magnified Horizontal vial with gradient lines up to 2%
 - 2 Vertical vials
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled base (up to 120cm /48")
- Rubber handle (2 handles from 80cm/32")
- Wall-grip
- Shock-absorbing rubber end caps

- Optional
- Magnetic model: 987M
 - 12 Piece display

Inch	16	24	32	40	48
cm	40	60	80	100	120

977 NEPTUNE™

2.6cm (1")



5.6cm (2.2")





1.35 mm



0.5mm/m (0.0005in/in.)





650g/m

- 3 Solid acrylic shockproof vials, including:
 - 1 Horizontal vial with gradient lines up to 2%
 - 2 Vertical vials
- Accuracy: <0.5mm/m (0.0005 in/in)
- Finely milled base (up to 120cm /48")
- Wall-grip
- Shock-absorbing rubber end caps

- Optional
- Magnetic model: 977M
 - 12 Piece display

Inch	16	24	32	40	48
cm	40	60	80	100	120

779 SPIRIT™



0.5mm/m (0.0005in/in.)



- 2-3 Solid shockproof acrylic vials, including:
 - 1 Horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled base (up to 120cm /48")
- Wall-grip



- Shock-absorbing rubber end caps

Optional

- Magnetic model: 779M
- 30 Piece dispenser display (20cm/8")

Inch	8	12	16	20	24	32	40	48	60	72	80
cm	20	30	40	50	60	80	100	120	150	180	200

752 MERCURY™



0.5mm/m (0.0005in/in.)



- 2-3 Solid acrylic shockproof vials, including:
 - Horizontal vial with gradient lines up to 2% & vertical vials
- Accuracy: <0.5mm/m (0.0005 in/in)
- Hanging hole
- Shock-absorbing rubber end caps

Optional

- Magnetic model: 752M

Inch	8	12	16	20	24	32	40	48	60	72	80
cm	20	30	40	50	60	80	100	120	150	180	200

985 DOOR JAMB SET

78" & 32" Magnetic Heavy-Duty Professional Box Levels

Kapro's professional Door Jamb set is based on a set of 78" and 32" 985 Apollo Magnetic Box levels. These levels combine the best of 2 worlds – they keep the traditional design of a classic Box-beam level while offering all the state of the art features that make your work easier, quicker and more accurate. The 985 features a horizontal 270° magnified breakproof Solid Acrylic vial and 2 plumb Solid Acrylic vials, all at the highest accuracy of < 0.0005 in/in (0.5mm/m), fully reversible. The 985 is one of the toughest levels in the industry.

- 3 solid acrylic, epoxy locked vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 horizontal magnified vial
- 2 milled surfaces on lengths up to 48"
- Extra strong Rare Earth magnets
- Shock absorbing bi-material end caps
- Ergo Grip™ non-slip handles
- Accuracy: <0.0005 in/in. (0.5mm/m)



985T & 724B MASONRY SET

Heavy duty tiler & mason level

Professionals working tough jobs require tough tools. Kapro's 985T Titan was built to meet the hefty demands of the job site and provide stellar accuracy. It features a specially designed, shock-absorbing surface along its entire length. Tap it, knock it – Apply force however you need to while working with brick or tile with confidence. The 985T is designed handle-free for a heavy-duty, full profile with the added benefit of easy cleaning on messy job sites.

The Titan boasts an impressive accuracy of 0.0005 in./ 1 in. (0.5 mm/m), even under pressure from trowel or mallet blows. It features a magnified vial for a superior read for any inside or outdoor work site. The finely milled base ensures precision each and every time. Kapro vials are individually hand-calibrated by experts and thus have achieved the coveted VPA Germany tested & certified seal. Work as hard as Kapro does knowing that your vials are warranted for accuracy for life.

Add the toughest level on the market to your tool box and see the Kapro difference today.

985T TITAN™ Heavy Duty Tiler & Mason Level

- Magnified horizontal vial with gradient lines up to 2%
- 2 Vertical vials
- 1 Finely milled surface
- Top edge high impact polymeric overlay for absorbing hammer and mallet blows
- Shock absorbing rubber endcaps
- 0.0005"/" accuracy in normal position

724 CAST TOOLBOX LEVEL

- 2 Solid acrylic shockproof vials: horizontal & vertical
- Accuracy: < 0.0005 in/in (0.5mm/m)
- Milled surface
- Cast aluminum body



985B SHOWER & BATH SET

59" & 32" Magnetic Heavy-Duty Professional Box Levels

The 985B shower and bath set comes with the perfect duo of Kapro's 32" and 59" Apollo levels. This Heavy-Duty professional set offers so much that its competitors do not. These strong, robust levels have 3 solid acrylic vials with lifetime warranty on the accuracy, 2 finely milled surfaces on the 32" level and lets not forget the Dual-View Plumb site feature, ergo grip non slip handles and shock absorbing hand grips.

What more could you want in a bath and shower set? Perfect tools for tiling a standard 5 ft. tub.

- 3 solid acrylic, epoxy locked vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 horizontal magnified vial
- 2 milled surfaces on lengths up to 48"
- Extra strong Rare Earth magnets
- Shock absorbing bi-material end caps
- Ergo Grip™ non-slip handles
- Accuracy: <0.0005 in/in. (0.5mm/m)




BOX LEVELS											
905 CONDOR™ 	946g/m	1.8mm	•	•	•	•	•	•		•	•
990 ZEUS™ 	1.10kg/m	2.2mm	•	•	•	•	•	•	•	•	•
995 VULCAN™ 	890g/m	2mm	•	•	•	•	•	•	•	•	•
985XL APOLLO™ 	870g/m	1.8mm	•	•	•	•	•	•	•	•	•
987XL SATURN™ 	736g/m	1.6mm		•	•	•	•	•	•	•	•
977 NEPTUNE™ 	650g/m	1.6mm		•	•	•	•	•		•	•
900 MANMAX™ 	835g/m	1.8mm	•	•	•	•	•	•		•	•
705 EAGLE™ 	665g/m	1.6mm	•	•	•	•	•	•		•	•
789P GENESIS™ 	605g/m	1.6mm	•	•	•	•	•	•		•	•
787 HELIUS™ 	516g/m	1.4mm		•	•	•	•	•		•	•
779 SPIRIT™ 	571g/m	1.3mm		•	•	•	•	•		•	•
752 MERCURY™ 	437g/m	1.2mm		•	•	•	•	•		•	




DIGITAL LEVELS

905DG OPTIVISION® DIGITAL LEVEL



0.5mm/m (0.0005in/in.)



- IP65 rating – Dust & water resistant
- HOLD function
- MODE function: Degree/percentage/pitch (cm/m & in/ft)
- Recalibration function and "False Zero"
- Digital accuracy: 0.05° at level & plumb
0.2° at other angles
- 45° Backlit, tilted LCD display
- 180° Readout – readable when inverted
- Buzzer at 0°, 45° and 90°


- **Powerful magnets**
- Finely milled base
- Wall-grip
- Large silicone buttons
- Shock-absorbing rubber end caps
- 2 Solid acrylic shockproof vials including:
 - 1 OPTIVISION® Red tilted horizontal vial with gradient lines of up to 2%
- Battery indicator



Inch	24	48	72
cm	60	120	180

985D DIGIMAN™

Professional Magnetic Digital Level



0.5mm/m (0.0005in/in.)




- 2 Solid acrylic shockproof vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Horizontal vial
- Digital accuracy: <0.1° at level & plumb
<0.2° at other angles
- 45° Backlit, tilted LCD display
- 180° Readout – Readable, when level is inverted
- HOLD function for transferring measurements
- MODE function (Degree/percentage/pitch)

- Memory recall: 9 measurements
- Buzzer at 0°, 45° and 90°
- Recalibration function & "False Zero"
- 2 Finely milled surfaces
- Ergo Grip™ handles
- Shock-absorbing end caps
- Rare-Earth magnets
- Optional
 - Water resistant bag

Inch	10	24	48
cm	25	60	120

992 DIGITAL BEVEL 25cm (10")

Precise Angle Mesurer and Level



- 1 Horizontal vial
- Digital accuracy: $<0.1^\circ$
- Clear digital display
- 180° Readout – Readable, when level is inverted
- Adjustable blade locks at any angle
- Easy recalibration
- Reference angle “False Zero”
- Anodized aluminum profile

393 DIGI PRO

The Pocket Digital Bevel

16cm (6.3")





- Digital accuracy:
 - $\pm 0.1^\circ$ at level & plumb
 - $\pm 0.2^\circ$ at other angles
- Backlit LCD display
- Automatic digit inversion
- “False Zero” measurements
- Magnetic base



SPECIALTY LEVELS

985T TITAN™

Heavy Duty Tiler & Mason Level



0.5mm/m (0.0005in/in.)




- Magnified horizontal vial with gradient lines up to 2%
- 2 Vertical vials
- 1 Finely milled surface
- Top edge high impact polymeric overlay for absorbing hammer and mallet blows

- Shock absorbing rubber endcaps
- 0.5mm/m accuracy in normal position

Inch	24	48
cm	60	120

770 EXODUS™ The Ruler in Levels



0.5mm/m (0.0005in/in.)



- 3 Solid acrylic shockproof vials, including:
 - 1 Horizontal vial with gradient lines up to 2%
 - 1 Vertical vial
 - 1 45° vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Precise straightedge ruler
- Finely milled base (up to 120cm /48")

- Wall-grip
- Shock-absorbing rubber end caps



Optional

- Magnetic model: 770M
- 12 Piece cardboard display

Inch	24	32	40	48
cm	60	80	100	120

773 DRYWALL LEVEL 90cm (36")

Magnetic Stud Layout Level



0.5mm/m (0.0005in/in.)



- 2 Solid acrylic shockproof vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface
- Magnetic stud slots and markers for standard layout
- Rare-earth magnets


- Tough aluminum box level profile
- Shock-absorbing end caps

Optional

- Model 773: Standard stud layout 400mm/600mm/40mm
- Model 773B: Standard stud layout 400mm/600mm/50mm
- Model 773G: Standard stud layout 417mm/625mm/50mm

105 TOPGRADE™

Gradient Level up to 2%



0.5mm/m (0.0005in/in.)



- 3-6 Solid acrylic shockproof vials (depending on level length) including:
 - 3-5 Horizontal vials
 - 1 Vertical vial
- Accuracy: <0.5mm/m (0.0005 in/in) on all vials
- Accurate slope measurements up to 2%

- Shock-absorbing rubber end caps
- Milled surface



Optional

- Magnetic model: 105M

Inch	24	40	48
cm	60	100	120
	3+1vials	5+1vials	5+1vials

783 ELECTRICIAN'S LEVEL

Perfectly Positioned Power Sockets



0.5mm/m (0.0005in/in.)




- 2 Solid acrylic shockproof vials, including:
 - Vertical vial and horizontal horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- 4 Markers at 71mm intervals
- 1 Marker at 91mm (on 130cm model)
- 3 Height markers: 30cm, 105cm and 115cm
- Shock-absorbing end caps
- Tough aluminum box level profile

cm	48	130
----	----	-----

108 INSTALLATION LEVEL 70cm (27.5")

Plumber's Level





0.5mm/m (0.0005in/in.)





- 2 Epoxy locked solid acrylic shock-proof vials, including:
 - 1 Vertical vial with Plumb Site® Dual-View™ vial
 - 1 Horizontal vial with gradient lines up to 2%
- 5 Markers designed into the level's profile at standard installation points:
 - 280mm for sink attachment to wall
 - 150mm for faucet placement
 - 75mm for water pipes below the sink
- Accuracy 0.5mm/m (0.0005in/in.)
- Shock-absorbing rubber end caps
- Wall-grip
- Reinforced aluminum box profile
- Optional
 - Magnetic model: 108M

108T TAP LEVEL 30cm (12")



- Horizontal solid acrylic vial with gradient lines up to 2%
- 150mm for tap placement
- Wall-grip keeps the level in place

103 INCLINOMETER Gradient Level



- 1 Horizontal solid acrylic shockproof vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Scale in degrees and percentages



Optional

- Magnetic model: 103M





Inch	8	12	16	20	24	32	40	48
cm	20	30	40	50	60	80	100	120

104 DRAINAGE LEVEL 100cm (40")

Gradient Level up to 10%



- 1 Horizontal solid acrylic shockproof vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Sets measuring slopes up to 10%
- Shock-absorbing rubber end caps




SPECIALTY LEVELS						 0.5mm/m		
985T TITIAN®		•	•	•	•	•		•
905DG DIGIMAN®		•	•	•	•	•	•	•
985D DIGIMAN®	•	•	•		•	•	•	•
773 DRYWALL LEVEL	•	•	•	•	•	•	•	•
783 ELECTRICIAN'S LEVEL		•	•	•	•	•		
770 EXODUS™		•	•	•	•	•	•	•
992 DIGITAL BEVEL			•			•		
103 INCLINOMETER		•	•			•	•	
105 TOPGRADE™		•	•		•	•	•	•
104 DRAINAGE LEVEL		•	•		•	•		
108 INSTALLATION LEVEL	•	•	•	•	•	•	•	
108T TAP LEVEL		•	•	•	•	•		
393 Pocket Digital Bevel							•	



CAST LEVELS

950 SWIVEL PLUMB SITE® 18" (45 cm)

Saving you time with a 5X wider view of the Plumb site and the top-down view from any position



0.0005in/in. (0.5mm/m)


- 3 Solid acrylic epoxy locked vials, including:
 - 1 Swivel Plumb Site®
 - 1 Magnified Horizontal
 - 1 Vertical
- Accuracy: <0.0005 in/in (0.5mm/m)
- Milled surface
- Ultra-durable high pressure cast aluminum profile
- Oversized Shock-proof rubber end caps with anti-slip feature

Option

- Magnetic model: 950M

Patented

730 TOPCAST™




0.5mm/m (0.0005in/in.)

- 2 Solid acrylic shockproof vials, including:
 - 1 Horizontal vial with gradient lines up to 2%
 - 1 Vertical vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface
- 2 Heavy-duty cast aluminum “anvil” strike pads
- Drill bit diameter gauge

Inch	16	24	32
cm	40	60	80
Weight g	460	750	890

820 SUPERCAST™




0.5mm/m (0.0005in/in.)

- 3 Solid acrylic shockproof vials, including:
 - 1 Adjustable horizontal vial with gradient lines up to 2%
 - 2 Vertical vials

- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Milled surfaces
- Heavy-duty cast aluminum body

Inch	24	32
cm	60	80
Weight g	790	990

920 SHARK®



0.5mm/m (0.0005in/in.)

Patented

- 2 Solid acrylic shockproof vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Epoxy locked horizontal vial with gradient lines up to 2%
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled surface
- Heavy-duty cast aluminum tapered (trapezoid) body
- Shock-absorbing rubber “anvils”


Optional

- Magnetic model: 920M

Inch	16	20	24	32	40
cm	40	50	60	80	100
Weight g	320	390	470	630	770



5cm (2")



0.5mm/m (0.0005in/in.)

- 2 Solid acrylic shockproof vials including:
 - 1 Horizontal vial with gradient lines up to 2%
 - 1 Vertical vial
- Accuracy: 0.5 mm/m (0.0005"/in.)
- Heavy duty cast aluminum body
- Shock-absorbing rubber "anvils"
- Milled surface

Inch	24	32
cm	60	80
Weight g	662	810

CAST LEVELS								
950 SWIVEL PLUMB SITE® 		•	•	•	•	•		•
730 TOPCAST™ 		•	•	•		•		•
820 SUPERCASE™ 		•	•	•		•		•
920 SHARK® 	•	•	•	•		•	•	•
930 SMARTCAST™ 		•	•	•	•	•		•
731 		•	•	•		•		•



I-BEAM LEVELS

175 MAXPRO™ Professional I-Beam Level



0.5mm/m (0.0005in/in.)



- 3 Cylindrical vials, including:
 - 1 Horizontal vial with window for top-down view
 - 1 Vertical vial
 - 1 45° Vial
- V-groove base for pipe and conduit leveling
- Accuracy: 0.5mm/m (0.0005"/in.)

- Heavy duty aluminum frame
- ABS handle
- Shock-absorbing rubber end caps

Optional

- Model 185: I-Beam with two milled surfaces

Inch	24	32	36	40	48
cm	60	80	90	100	120

176 MAXPRO™ MAGNETIC Professional I-Beam Level



0.5mm/m (0.0005in/in.)



- 3 Cylindrical vials, including:
 - 1 Horizontal vial with window for top-down view
 - 1 Vertical vial
 - 1 45° Vial
- Magnetic strip

- Accuracy: 0.5 mm/m (0.0005"/in.)
- Heavy duty aluminum frame
- ABS handle
- Shock-absorbing rubber end caps

Inch	24	32	36	40	48
cm	60	80	90	100	120

170 SAMSON™ Contractor I-Beam Level




- 3 Cylindrical vials, including:
 - 1 Plumb Site® Dual-View™
 - 1 Horizontal vial
 - 1 Vertical vial
- Accuracy: <1mm/m (0.001 in/in)

- 2 Milled surfaces (up to 120cm /48")
- Heavy-duty aluminum frame
- Ergonomic rubber handle
- Shock-absorbing rubber end caps

- Optional
- Magnetic model: 170M

Inch	16	24	32	36	40	48	72	80
cm	40	60	80	90	100	120	180	200

150 I-BEAM LEVEL Quality I-Beam Level




- 3 Cylindrical vials, including:
 - 1 Plumb Site® Dual-View™ vial
 - 1 Horizontal vial
 - 1 Vertical vial

- V-groove base for pipe and conduit leveling
- Sturdy aluminum frame

- Optional
- Magnetic model: 159
 - Angle finder vial: 150-86

Inch	16	20	24	32	40	48	60	72	80
cm	40	50	60	80	100	120	150	180	200


130 I-BEAM LEVEL Value I-Beam Level



- 2 - 3 Cylindrical vials, including:
 - Vertical, horizontal and 45° vials
- V-groove base for pipe and conduit leveling

- Comfortable hand grip
- ABS end caps


Inch	12	16	20	24	32	40	48
cm	30	40	50	60	80	100	120

I-BEAM LEVELS				ACCURATE  0.5mm/m			
175 MAXPRO™ 			•	•	•	•	•
176 MAXPRO™ 			•	•	•	•	•
170 SAMSON™ 	•		•	•	•	•	
150 I-BEAM LEVEL 	•	•		•	•	•	
130 I-BEAM LEVEL 				•		•	•



TOOLBOX LEVELS

923 CAST TORPEDO LEVEL 25cm (10")





0.0005in/in. (0.5mm/m)



- 3 Solid acrylic shockproof vials, including:
 - Plumb Site® Dual-View™ vial
 - Epoxy locked horizontal vial
 - 45° Angle vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled base with rare-earth magnets
- Heavy-duty cast aluminum body
- V-groove base for pipe and conduit leveling

724 CAST TOOLBOX LEVEL 25cm (10")



0.0005in/in. (0.5mm/m)




724B



- 2 Solid acrylic shockproof vials, including:
 - Horizontal & vertical vials
- Accuracy: <0.5mm/m (0.0005 in/in)
- Milled base
- Cast aluminum body
- Optional:
 - Magnetic model: 724M
 - With Pouch model: 724B
 - 10 Piece display

925 TOPCLASS Magnetic Torpedo Level 25cm (10")



- 4 Cylindrical vials, including:
 - Horizontal, vertical Plumb Site® Dual-View™ vial
 - 45° & 30° Vials
- Ruler
- Electrical plug markers (71mm)
- Unique 45° bevel offset edge
- V-groove base for pipe and conduit leveling
- Milled base
- Rare-earth magnets
- Hanging strap

926 PIPEMASTER Magnetic Torpedo Level 16cm (6.5")



140g

- 4 Epoxy locked cylindrical vials , including:
 - Horizontal, vertical, 45°, 30° vials
- Thumb screw
- Unique 30° and 45° bevel offset edge
- Precision machined solid anodized aluminum billet
- V-groove base for pipe and conduit leveling
- Milled surface
- Rare-earth magnets
- Hanging strap

771M TWIN™ Magnetic Heavy Duty Toolbox Level 15cm (6") & 20cm (8")



0.5mm/m (0.0005in/in.)

139g

- 2 Solid acrylic shockproof vials including:
 - 1 Vertical vial
 - 1 Magnified horizontal vial
- Magnetic V-groove base
- Accuracy: 0.0005"/" (0.5 mm/m)
- Hanging hole



779T LEIOS 23cm (9")



- 3 solid Shockproof acrylic vials including:
 - 1 Magnified Horizontal vial with gradient lines up to 2%
 - 1 vertical vial
- 1 45° vial
- Accurate to 0.5mm/m (0.0005in/in)
- Strong Aluminum Box Profile
- Shock absorbing Rubber endcaps
- Wall grip feature
- Strong magnets on milled base
- Optional:
 - 10 Piece display

929 TOOLBOX LEVEL 25cm (10")



- 3 Cylindrical vials, including:
 - Horizontal, vertical and 45° vials
- Leveling ledge for borders
- Magnetic V-groove base for pipe and conduit leveling
- Sturdy aluminum frame and base
- Optional:
 - 15 Piece display

227 TORPEDO STAR PLUS 23cm (9")



- 3 Cylindrical vials, including: Horizontal, vertical and 45° vials
- V-groove base for pipe and conduit leveling
- Magnetic base
- Shock-absorbing rubber end caps
- Optional:
 - 20 Piece display

229 TORPEDO LEVEL 23cm (9")



90g


- 3 Cylindrical vials, including: Horizontal, vertical and 45° vials
- V-groove base for pipe and conduit leveling
- Magnetic base
- Optional:
 - 20 Piece display

TOOLBOX LEVELS	LENGTH cm (inch)		PLUMB SITE®				ACCURATE 0.5mm/m		
935 OPTIVISION® 	25cm (10")	472g							
923 CAST TORPEDO 	25cm (10")	269g							
724 VALUE CAST 	25cm (10")	220g							
925 TOPCLASS 	25cm (10")	202g							
926 PIPEMASTER 	16cm (6.5")	140g							
779T 	23cm (9")	190g							
771 TWIN 	20cm (8")	280g							
929 TOOLBOX 	25cm (10")	140g							
227 TOOLBOX 	23cm (9")	100g							
229 TOOLBOX 	23cm (9")	90g							



POCKET LEVELS

771 TWIN™ 10cm (4")



- 2 Solid acrylic shockproof vials, including:
 - 1 Vertical vial
 - 1 Magnified horizontal vial with gradient lines up to 2%
- Milled surface
- Magnetic V-groove base for pipe and conduit leveling


- Accuracy: 0.5mm/m (0.0005"/in.)
- Carabiner (Optional)

- Option
- 10 Piece display

846 CYCLOPS™ The Magnetic Pocket Cast Level 8cm (3.1")




10 piece display
23cm x 11cm x 12cm
9" x 4.3" x 4.7"



- 1 Solid acrylic shockproof Plumb Site® Dual-View™ vial
- Accuracy: <0.5mm/m (0.0005 in/in)
- 2 Finely milled surfaces with V-groove for pipe and conduit leveling
- Durable cast aluminum body
- Rare-earth magnets
- 10 Piece display

246 HANDY LEVEL 10cm (4")



- 1 Solid acrylic shockproof vial
- Accuracy: <0.5mm/m (0.0005 in/in)

- Lightweight aluminum box profile
- Shock-absorbing end caps

Optional:

- Magnetic model: 246M
- 10 Piece display

245 MINI LEVEL 4" (10cm)



- 2 cylindrical vials , including:
 - Horizontal
 - Angle finder Top-scroll adjuster

- Strong molded plastic casing
- Hanger hole

POCKET LEVELS			ORIGINAL INNOVATION			ACCURATE 0.5mm/m	
946 SMARTY™ 		173g	•	•	•	•	•
846 CYCLOPS™ 		120g	•	•	•	•	•
771 TWIN 4" 		137g		•	•	•	•
246 HANDY 		80g		•	•	•	•
245 MINI LEVEL 		45g	•				

POST & PIPE LEVELS

350 PIPE LEVEL 5 Piece Set



Weight: 166g

Nominal Sizes	IPS Steel Stainless Steel PVC Plastic Inches/ mm	CTS Copper Inches/ mm	PP Plastic Inches/ mm
1/2"	1/2 15	3/4 20	25
3/4"	3/4 20	1 25	32
1"	1 25	1 1/4-1 1/2 32-40	40
1 1/4"-1 1/2"	1 1/4-1 1/2 32-40	—	50
2"	2 50	—	63

- 2 Cylindrical vials , including:
- Horizontal and vertical vials

- Sizes for standard metal and plastic pipes (see table)


Optional

- Available in clip strip

340 POSTRITE® Folding Post Level



 220g



- 3 Cylindrical vials , including:
- 2 Horizontal vials
- 1 Vertical vial
- Folds closed & opens flat
- Click-lock every 15°
- Adjustable elastic strap for non-magnetic surfaces
- 4 Powerful magnets for metal surfaces
- Suitable for all posts, pipes and signs

Optional:

- 6 Piece display



341 MINI POST LEVEL The Handy Post Level



 52g



- 3 Cylindrical vials , including:
 - 2 Horizontal vials
 - 1 Vertical vial
 - Pre-cast holes for easy mounting with nails
 - Adjustable elastic strap for non-magnetic surfaces
 - 4 Powerful magnets for metal surfaces
 - Suitable for all posts, pipes and signs
- Optional
- 12 Piece display



LINE & SURFACE LEVELS

440 LINE LEVELS



- Especially lightweight for line sag prevention
- V-groove base for pipe and conduit leveling
- Handy pocket clip



Optional

- 440 Available as a set with 20m (65') cord

441 LINE LEVELS



- Especially lightweight for line sag prevention
- Aluminum base

240 BULL'S EYE LEVEL



- Multipurpose level
- Pre-cast holes for easy attachment
- Sensitivity: 30arc/min

242 MAGNETIC CROSS LEVEL



- Multipurpose level
- Pre-cast holes for easy attachment
- 2 Cylindrical vials
- Magnetic


SCREEDS

Standard ruler lengths


Inch	40	60	70	80	96	10'	11.5'	13'
Centimeter	100	150	180	200	250	300	350	400

Tested for
straightness

Model 152 RECTANGULAR



Model 153 WITH HANDLES & VIALS




153-31: 2 Solid acrylic vials : horizontal and vertical


153-32:

- 2 Vials: horizontal and vertical
- 2 Easy to hold handles

Model 154 TRAPEZOIDAL



Model 155 SCREED



PADDED BAG - 900 SERIES

Model:

99060 (60cm/24")

99066 (80cm/32")

99065 (100cm/40")

99061 (120cm/48")

99072 (180cm/72")



LONG PADDED BAG - 900 SERIES

Model:

99105

60cm (24") & 120cm (48") & 180cm (72")



Optional

- with 12" pouch

SHORT PADDED BAG - 900 SERIES

Model:

99105

120cm (48") & 60cm (24")



Optional

- with 12" pouch

Models: 99104 (with pouch)

MULTI LEVEL BAG - 900 SERIES

Model:

14428

2X 120cm (48") & 60cm (24") & torpedo pouch



PADDED SLEEVE - 900 SERIES

Models:

99021 (60cm/24")

99023 (120cm/48")

99024 (180cm/72")



Optional

- Model: 99101

Double padded sleeve 90cm (32") + 120cm (48")



MULTI-LEVEL BAG - 700 SERIES

Model:

99099

60cm (24") & 120cm (48") & 180cm (72") & Torpedo



PROTECTIVE SLEEVE - 700 SERIES

Model:

99103

60cm (24") & 120cm (48")



