

HYGIENE & HAND PROTECTION EXPERTS

## **OUR WELL-KNOWN BRANDS: MAPA & SPONTEX**

## THE STRENGTH OF THE EXPERIENCE: from SPONTEX to SPONTEX Professional

Spontex Professional's expertise covers not only the production of cellulose sponge products, but also the manufacture of wiping products, abrasives and nonwoven textiles. In order to meet the needs of professionals we have developed a range of technical products which deliver increased efficiency and productivity, storage issue solutions and ergonomic cleaning.





## PROTECTIVE GLOVES MARKET LEADER



Mapa Professional is committed to offering companies innovative solutions for protecting the hands which meet users needs.

We centre our brand around the health and safety of users at their workplace.

Our offer meets requirements for comfort and protection for risks in the professionnal environment.

# HAND PROTECTION BEYOND THE GLOVE

We have a team dedicated to understanding the needs of our users. Designing solutions for applications for a wide variety of industries.



#### **1 Customer Engineering Departments**

stc.mapaspontex@newellco.com



#### 2 R&D Centres

(60 engineers and technicians)



#### In-house production

(3 factories worlwide)



#### 1 Application laboratory

Exclusive testing at our in house laboratory, where we go above and beyond standard regulatory testing to reproduce real life, in-house working conditions. Focusing on grip, durability, dexterity, thermal and breathability.

## **SYMBOL GUIDE**

#### **RANGES**



WASHING RANGE



WIPING RANGE



SCOURING RANGE



FLOOR RANGE

#### **ENVIRONMENT**



HOSPITALS



**MULTIPLE USE LOCATIONS** 



**CATERING** 



SPECIAL FRAGILE SURFACES



PROHIBITED ON FRAGILE SURFACES

## **PRECAUTION OF USE**



Washable



Do not wash



Must wear gloves



Bleach



Do not bleach



Whitening authorised





Dry wash



Dry washing prohibited



Tumble dry



Tumble dry prohibited



Ironing



Ironing prohibited



REMOVES TRACES OF GREASE



TEAR RESISTANCE



**CUTTABLE** 

**PRODUCT ADVANTAGES** 



**ERGONOMIC** 



**ABRASIVENESS** 



100% BIODEGRADABLE



**ABSORPTION** 



WIPING



**TENSILE STRENGTH** 



**DISPOSABLE** 





# **OUR CLEANING TOOLS**



## **SCOURING**

## **Sponges**



in Europe

## Astree



NON-WOVEN LAYER OF ABRASIVE SYNTHETIC FIBRES ON POLYURETHANE FOAM.



- Standard scouring of surfaces
- Good grip and hand protection (Astree 21)
- Very good tensile and wear resistance (Astree 54)

#### TYPE OF PRODUCT

Standard scourer

#### **COMPOSITION**

Sponge part: Polyurethane foam

Scouring part: Abrasive fillers, Adhesive, Latex, Pigment,

Synthetic fibres

#### **INSTRUCTIONS FOR USE**

Use liquid proof gloves while working in contact with water or chemicals.

Rinse the product before the first use.

Proceed to test on a hidden surface prior to its use.

Rinse and wring after use. Machine washable up to 60°C



## **ASTREE 21**





Scouring sponge

Dimensions: 140x68x48 mm

Colour: Green

Packaging: 6 piece/bag - 10 bags/box - 60

pieces/box

#### PRECAUTIONS FOR USE



#### **ASTREE 54** ▶ Code: 95020054



Description Scouring sponge

140x90x34 mm

Colour

Packaging

Green/ Yellow

6 piece/bag - 10 bags/ box - 60 pieces/box

## Did you know we manufacture products in Europe?







Azella Our Azella manufactured from responsible forests and are 100% biodegradable





Planet





## **SCOURING**

## **Sponges**



# Sponrex





#### SCOURING SPONGE MADE UP OF AN ABRASIVE CLOTH LAMINATED ON A CELLULOSIC SPONGE

A product adapted to the diversity of needs: several sizes, different degrees of abrasiveness.

Biodegradable sponge part.



- Bi-functional products (time-saving) washing and scouring
- Excellent absorption capacity: 20 times its dry weight
- Easy to rinse and clean







#### TYPE OF PRODUCT

Cellulose scouring sponge

#### COMPOSITION

Sponge part: Pigment, plasticiser, water, cellulose Abrasive part: Latex, glue, synthetic fibres, abrasive charges



#### **SPONREX 31**



▶ Code: 95020031

Rectangular soft scourer Dimensions: 130 x 84 x 28 mm

Colour: White/Pink

Packaging: 10 pieces per bag

6 bags per carton

#### **INSTRUCTIONS FOR USE**

Rinse the sponge before its first use to eliminate the plasticiser. Rinse and wring out after use.

#### PRECAUTIONS FOR USE







#### **SPONREX 79**

► Code: **95020079** 



Description Rectangular soft scourer

Colour 130 x 84 x 28 mm White/Blue

Packaging 10 pieces per bag 6 bags per carton



#### **SPONREX 52** SMALL SPONGE





	Desc	crip	oti	¢
S	mal	sp	or	19

110 x 70 x 28 mm

Green/

Yellow

Packaging 10 pieces per bag 6 bags per carton



#### SPONREX 74

LARGE SPONGE ▶ Code: 95020074



Description
Large sponge

130 x 84 x 28 mm

Colour Green/ Yellow

Packaging 10 pieces per bag 6 bags per carton

#### **ERGONOMIC FOR AN EASIER GRIP**



#### SPONREX 33





Descriptio
Ergonomic
scourer

15	0	X	80	X	28mm

Colour Green/ Yellow

10 pieces per bag 6 bags per carton

Packaging

#### **ERGONOMIC & DURABLE SPONREX 92**



Code: 95020092



Description	
Ergonomic	
scourer	

150 x 80 x 28mm

Colour Red/ Yellow

Packaging 10 pieces per bag 6 bags per carton







NON-WOVEN WEB OF FIBRES **RESIN-BONDED SYNTHETICS AND** SPRAYED WITH ABRASIVE CHARGES.

Different types of scouring

- delicate
- general purpose



• Exclusive Spontex stop grease treatment which keeps scourers cleaner for longer.











#### **TYPE OF PRODUCT**

Abrasive cloth

#### COMPOSITION

Abrasive Fillers, Latex, Pigment, Synthetic Fibres

#### **INSTRUCTIONS FOR USE**

Can be used in a wet environment for greater efficiency. Rinse before first use and after each use.



#### **MERCURY 44**

▶ Code: 95020044

Large format scourer Dimensions: 150 x 225 x 8 mm

Colour: Green

Packaging: 10 pieces per bag

10 bags per carton

#### PRECAUTIONS FOR USE





**GENERAL SCOURING** 

#### **MERCURY 96**

▶ Code: **95010096** 



Description 120 x 150 x 8 mm Small pad

Colour Green

Packaging 20 piece per bag

**MERCURY 24** 

▶ Code: 95010024



5m Roll

150 x 5000 x 7,5 mm

Colour

Green

8 bags per carton

**MERCURY 35** 



Description

Packaging 1 piece per bag 6 bags per carton

▶ Code: **95010035** 



3m Roll

150 x 3000 x 8 mm

Colour Green

1 piece per bag 6 bags per carton

Packaging

**MERCURY 61** 

▶ Code: 95020061



Description Ahrasive non woven roll

6000 x 150 x 8.5 mm

Colour Green

Packaging 1 roll per bag / 10 bags per carton

**MERCURY 84** 

▶ Code: 95080084



Description 3m Roll

150 x 3000 x 8 mm

Colour Black

Packaging 1 piece per bag 6 bags per carton

## Pads - Rolls - Balls



# Mercury





Made in Europe

#### **DELICATE SCOURING**

#### **MERCURY 76**

▶ Code : **95010076** 



Description
Large pad

150 x 230 x 8 mm

Colour White

Packaging

10 pieces per bag

8 bags per carton



▶ Code : **95010015** 



Description	Dimensions	Colour	Packaging
3m Roll	150 x 3000 x 8 mm	White	10 pieces per bag
			8 bags per carton

# ▶ Superinox



## STAINLESS STEEL BALL MADE OF A TWISTED WIRE COILED IN A SPIRAL.

For difficult scouring of dishes and hard surfaces. Very good resistance. Will not scratch hard surfaces (stainless steel, glass).



Very handy, cleans into those hard to reach areas.

- High quality stainless steel
- Does not release particles
- 100% stainless







# DOES NOT RUST

#### TYPE OF PRODUCT

#### **COMPOSITION**

Stainless steel ball

Stainless Steel

#### **INSTRUCTIONS FOR USE**

Can be used in a wet environment for greater efficiency. Rinse before first use.

Rinse well after each use, spreading the threads apart.

#### PRECAUTIONS FOR USE



#### **SUPERINOX 27**

▶ Code: **95030027** 



Description
Small stainless
steel scourer

Grammage	
40 grams	

Steel Grey

Packaging
10 pieces per bag
6 bags per carton

#### **SUPERINOX 50**

▶ Code: **95030050** 



Description	Grammage	Colour	Packaging
Large stainless steel scourer	60 grams	Steel Grey	10 pieces per bag 6 bags per carton

## **WASHING** Sponges




in Europe



CELLULOSE MADE FROM NATURAL MATERIALS. HIGH QUALITY CELLULOSE SPONGE, MADE FROM PLANT BASED INGREDIENTS SUCH AS WOOD PULP, FLAX & COTTON

Traditional sponge bordered with exclusive Spontex treatment for increased bleach resistance.

Complete range of sponges (dry, wet, compressed) to meet a wide variety of cleaning needs.





- Absorbs up to 20 times its dry weight
- Large porosities: optimal absorption and easy wringing









#### **AZELLA 86**

▶ Code: 95900086

Wet Tradition N°4

**Dimensions**: 144 x 101 x 28 mm

Colour: Yellow

Packaging: 10 pieces / bag

8 bags / carton

#### **TYPE OF PRODUCT**

Dry cellulose sponge

#### COMPOSITION

Cellulose, pigment

#### **INSTRUCTIONS FOR USE**

Rinse the sponge before and after each use. Machine washable at 90°C with a liquid detergent. This operation can be carried out many times without damaging the intrinsic qualities of the product.

#### PRECAUTIONS FOR USE







**WET TRADITIONAL** 

**AZELLA 93** 

▶ Code: **95900093** 



Wet traditional

N°6

144 x 101 x 36 mm

Yellow

Packaging

10 pieces / bag 18 bags / carton

**COMPRESSED SPONGE** 

**AZELLA 60** 

▶ Code: 95030060



Description

Yellow

10 pieces / bag

Packaging

## **CROSS CONTAMINATION & COLOUR-CODED SYSTEM**



#### WHAT IS CROSS CONTAMINATION?

It is the act of moving bacteria or soils to areas that could be exposed to humans.

It could potentially harm the individuals involved in these areas.







In order to answer customers needs and continue implementing best practices, Mapa Spontex Professional is offering colour-coded cleaning tools.



Colour-coded cleaning tools help to increase operator productivity and deliver comfort, whilst avoiding cross contaminating areas and limiting the spread of germs and bacteria between areas.



#### COLOUR IS THE MOST EFFECTIVE WAY TO PREVENT CROSS CONTAMINATION

# Mapa Spontex Professional recommends\* the following colour coding system:

FOR CLINICAL, TREATMENT AND ISOLATION AREAS





FOR SANITARY APPLIANCES AND WASHROOM AREAS

FOR GENERAL AREAS EXCLUDING WASHROOMS AND CLINICAL AREAS





FOR GENERAL FOOD AND DRINK AREAS

<sup>\*</sup>Recommended colour system can change by business area and application as defined by BICS organisation

## **WIPING**

## Nonwoven - Microfibres

# ▶ Stellair

NON-WOVEN OF SYNTHETIC FIBRES LATEX-BONDED AND WATER-JET BONDED.

Flexible and strong. Optimal rinsing. Long service life. Colour coded by location of use.

The openwork textures facilitates improved recovery of dirt and allows for easy rinsing. Our testing shows that Solonet & Stellair cloths are safe to be used with alcohols and bleach.













#### **TYPE OF PRODUCT**

#### COMPOSITION

Open structured non-woven cloths

Polyester, Viscose, Pigment







PRECAUTIONS FOR USE



## **INSTRUCTIONS FOR USE**

Damp use for routine and long-term cleaning of surfaces. Rinse before first use. Rinse and wring out after each use.



	Cl <sub>2</sub>
60°C	1g/I

٠	Product Name	Ref.	Description	Dimensions	Colour	Packaging
	STELLAIR 1008	95061008			Green	
	STELLAIR 1081	95061081	Open structured non-woven cloths 80g/m²		Yellow	
	STELLAIR 1172	95061172		51 x 36 cm	6 CM WYNITE '	25 pieces per bag 6 bags per carton
	STELLAIR 1213	95061213				o bage per career.
	STELLAIR 1361	95061361			Blue	

## ▶ Solonet



MULTIPLE WORKING APPLICATIONS APPROPRIATE FOR DELICATE SURFACES



All-purpose cloth with excellent absorption > 600% of dry weight Four colours available to avoid cross contamination risks







#### TYPE OF PRODUCT

#### **COMPOSITION**

Resin bonded non-woven  $35 \text{ g/m}^2$ 

Viscose, Polyester

#### INSTRUCTIONS FOR USE

Use wet for normal and long term cleaning of surfaces. Rinse the product before the first use. Rinse and wring after each use

#### **PRECAUTIONS FOR USE**



	1	9	J,	/	l	
--	---	---	----	---	---	--

Product Name	Ref.	Description	Dimensions	Colour	Packaging
SOLONET 1001	95021001	500 cloths, non-woven roll, 35g/m <sup>2</sup>	33x38cm	Blue	2 rolls per pack
SOLONET 1436 SOLONET 1235 SOLONET 1133 SOLONET 1264	95021436 95021235 95021133 95021264	Non-woven cloths 35g/m²	28x58cm	Yellow Pink Green Blue	50 pieces per bag, 20 bags per carton

## Nonwoven - Microfibres

# ▶ MF Pro Multiclean



COLOUR CODED MICROFIBRES WOVEN CLOTHS FOR ALL TYPES OF SURFACES. WET OR DRY

Colour coded woven cloths preventing cross-contamination



- Removes 99% of bacteria
- Very good resistance to bleach (28,5g/l)
- High resistance to Alcohol (Ethanol 99%)
- High durability (up to 500 washing cycles at 60°C)
- Washable in autoclave at 121°C



#### COMPOSITION

Colour coded microfibres

Polyamide, Polyester

#### INSTRUCTIONS FOR USE

A preliminary spin helps cleaning



#### PRECAUTIONS FOR USE











Product Name	Ref.	Description	Dimensions	Colour	Packaging
MF PRO CLEAN RED	95000113			Red	
MF PRO CLEAN YELLOW	95000112	Microfibres 250 g/m <sup>2</sup>	380x400 mm	Yellow	5 pieces/bag 24 bags/carton
MF PRO CLEAN GREEN	95000114		380x400 mm	Green	120 pieces/carton
MF PRO CLEAN BLUE	95000115			Blue	
MF FLOOR	95180028		500x600 mm	Blue	5 pieces/bag

# ▶ Ariane Ultra



#### **WOVEN MICROFIBRES WITH EDGES** OVERLOCKED POLYESTER AND POLYAMIDE

Microfibre woven with high quality overlocked edges and great flexibility of use. Respect for delicate surfaces. Superior dust removal efficiency and easy cleaning





- · Long life, very resistant
- Velvet touch

Microfibres

Leaves no residue







PRECAUTIONS FOR USE





#### **TYPE OF PRODUCT**

#### COMPOSITION

Polyester, Viscose, Pigment

#### INSTRUCTIONS FOR USE

Versatile cleaning for all surfaces, use for wet cleaning or dry for dusting.

Colour Packaging **ARIANE ULTRA 1212** 95091212 Blue 5 pieces per bag Woven microfibre 200 g/m<sup>2</sup> 36 x 36 cm 12 bags per carton Velvet touch **ARIANE ULTRA 1222** 95091222 Green



## **WIPING**

## Sponge - Cloths - Rolls



CELLULOSIC SPONGE CLOTH
MADE FROM WOOD PULP AND
REINFORCED WITH A TEXTILE WEAVE.

Excellent absorption and resistance capacity due to cellulose material and textile weave.

Colour-coded by location of use.

Available in various sizes.





- Easy to handle
- High wiping efficiency: fine porosity
- Absorbs up to 13 times its dry weight.











#### **TYPE OF PRODUCT**

#### COMPOSITION

Sponge cloth Cellulose, Water, Fungicide, Pigment, Plasticiser

( c





PRECAUTIONS FOR USE

#### **INSTRUCTIONS FOR USE**

Rinse before using for the first time. Rinse and wring out after use. Preliminary wringing improves wiping ability.

Product Name	Ref.	Description	Dimensions	Colour	Packaging
SPONGYL 57	95010057			Yellow	
SPONGYL 26	95010026	Sponge square small model	206 x 185 x	Pink	10 pieces per bag
SPONGYL 87	95010087		5.8 mm	Blue	12 bags per carton
SPONGYL 51	95010051			Green	

Cellulosic sponge roll absorption mat. For draining dishes and utensils. Acoustic insulation in kitchens. Can be used for spillages on floors.

#### **SPONGYL 36**

▶ Code: 95010036



Description	Dimensions	Colour	Packaging
Large Sponge	620 x 400 x	Mixed colour packs:	5 pieces per bag
Roll	5.8mm	Pink, Blue, Green	4 bags per carton



► Code: **95010047** 



Description	Dimensions	Colour	Packaging
2m Sponge Roll	620 x 2000 x 5.8mm	Green	1 piece per bag 15 bags per carton

#### **SPONGYL 56**

▶ Code: **74156000** 



Description	Dimensions	Colour	Packaging
Regular cellulosic sponge	200 x 185 x 4 mm	Mixed colour packs: Blue, Yellow, Orange	10 pieces per bag

#### **SPONGYL 66**

► Code : **74166000** 



Description	Dimensions	Colour	Packaging
Regular cellulosic sponge	200 x 185 x 4 mm	Mixed colour packs: Blue, Yellow, Orange	5 pieces per bag

## **FLOORS**

## Non-woven gauzes



#### FLAT GAUZE NON-WOVEN FIBRE FLEECE SYNTHETIC FLOOR CARE PRODUCTS

Suitable for small, medium and large surfaces. Hospital grade.



- Best dust retention rate on the market
- Efficiency and hygiene







#### **TYPE OF PRODUCT**

Non-woven gauze

#### COMPOSITION

Polypropylene, food-grade paraffin oil

#### **INSTRUCTIONS FOR USE**

Ready to use. Optimal use of one gauze per area: avoids cross-contamination. Easy attachment to a flat brush up to 60cm in length. Discard the product after use. Not to be used with water or chemical liquids.



#### **PLANET PLUS 67**

▶ Code: 95020067

Impregnated gauze 20g/m<sup>2</sup> Dimensions: 60 x 30 cm

Colour: Pink

Packaging: 50 pieces per bag 20 bags per carton

#### **PRECAUTIONS FOR USE**



#### THE IMPREGNATES



**+**) These gauzes are impregnated with paraffin and are ready to use.

#### **PLANET PLUS 14**

**SMALL SURFACES** 

▶ Code: 95020014



Description	Dimensions	Colour	Packaging
Impregnated gauze 20g/m²	60 x 24 cm	Pink	50 pieces per bag 20 bags per carton

#### **PLANET PLUS 95**

**SMALL SURFACES** 

▶ Code: 95010095



Description	Dimensions	Colour	Packaging
Impregnated gauze 20g/m²	60 x 20 cm	Pink	50 pieces per bag 20 bags per carton

**PLANET PLUS 55** 

**MEDIUM AND LARGE SURFACES** ► Code: **95020055** 

Description	Dimensions	Colour	Packaging
Impregnated gauze 38g/m²	60 x 30 cm	Yellow	50 pieces per bag 10 bags per carton

#### THE NON IMPREGNATED ONES

(+) These gauzes can be used dry or impregnated with a dust removal product.

PLANET 73 **SMALL SURFACES** 

▶ Code: 95020073



Description	Dimensions	Colour	Packaging
Non-Impregnated	60 x 30 cm	White	50 pieces per bag
gauze 18g/m²			20 bags per carton



# OUR PROTECTIVE GLOVES



#### EUROPEAN LEGISLATION AND STANDARDS

# Regulations 2016

#### Why is PPE regulated?

All professional gloves are personal protective equipment and must comply with European standard 2016/425. The purpose of these regulations is to guarantee a safe working environment for the user of the PPE along with public health. This means that PPE must provide the level of protection required without compromising the user's health. To meet this requirement, PPE are defined by a harmonised European standard. This governs the degree of protection of the PPE along with the comfort and satisfaction of the user. It also ensures that the PPE can circulate freely within the European Union without reducing the level of protection required due to unfair competition.

#### Regulation 2016/425

This regulation was implemented on 21 April 2018. Directive 89/686 was cancelled from this date. It relates to all citizens of the EU. It does not need to be transposed into national law and so is the same in all countries of the European Union.

#### **DIRECTIVE 89/686 REPLACED** BY REGULATION 2016/425

#### **Main differences:**

European Directives regarding personal protective equipment lay down the requirements that the equipment and their users must satisfy. The standards are used to draw up technical specifications that meet these new requirements. Directive 89/656/EEC (use) lays down the requirements that employers must meet with regard to the supply and use of PPE by their

Directive (EU) 2016/425 stipulates the essential requirements for marketing protective gloves within the European Union.

The whole Mapa Professional range is certified as compliant with these criteria and carries the CE marking.

## **CERTIFICATION CATEGORIES**

– CAT 1 –

The manufacturer is responsible for the conformity of their products with respect to the essential requirements of the directive.

— САТ 2 —

Certificate of conformity obtained from a notified body.


– CAT 3 –

Certificate of conformity and regular production inspections on the manufacturer's premises by the notified bodies.



## low to read the standards?

The following pictograms, defined according to European standards, can help you understand the performance characteristics of a glove:



#### **RISK**

Combination between contact time and the aggressiveness of the chemical being handled.
Choose the performances of your gloves based on the type of risk:

splashes

Chemical substances diluted by immersion or splashes of aggressive substances

Pure or mixed chemical substances in frequent contact

AAA prolonged contact (or immersion) Pure or mixed chemical substances in frequent contact

#### **WEAR TIME**

Identifies the comfort level required by the operator the longer the wear time, the more comfortable the glove needs to be (perspiration, flexibility/fatigue).

short wear

Chlorinated interior finish

intermittent wear

continuous wear Fabric-lined interior finish

ultra-confort wear **(** 

Mapa exclusive technology providing greater flexibility

#### **TEMPERATURE**



Temperature - 10°C



Temperature up to 150°C



Temperature above 150°C

#### **CONTACT TIME**

short contact

prolonged contact

## LIGHT DUTY PROTECTION

## Cleaning & Maintenance

#### **LOW AGGRESSIVE ENVIRONMENTS - SHORT WEAR**

## Vital

#### PROTECTIVE LATEX GLOVE



- Excellent dexterity from the suppleness of natural latex
- Good resistance
- Comfortable cotton flock-lining

#### **MATERIAL**

Natural latex

#### **INSTRUCTIONS FOR USE**



Splashes



Intermittent wear



Category 3





0010X



















▶ Vital 124



▶ Vital 185



▶ Vital 186

# ▶ Ultranitril 454

#### HYPOALLERGENIC MAINTENANCE GLOVE



- Outstanding precision dexterity, due to the qualities of MAPA's unique synthetic material
- Good handling of slippery objects, due to the embossed texture
- Optimal comfort: anatomical shape

#### **MATERIAL**

#### **INSTRUCTIONS FOR USE**

Synthetic elastomer





Short wear

#### **STANDARDS**

Category 3

EN388:2016











Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Vital 115				Pink			6789	
Vital 117				Blue				
Vital 124	30,5	0.35	Straight sleeve	Yellow	Flocked	Embossed texture	6.7.0.0.10	100 pairs/carton
Vital 185			Sieeve	Red			6 7 8 9 10	
Vital 186				green				
Ultranitril 454	31	0.35	Straight sleeve	Turquoise	Flocked	Embossed texture	6 7 8 9 10	50 pairs/carton

## **Cleaning & Maintenance**

#### **LOW AGGRESSIVE ENVIRONMENTS - CONTINUOUS WEAR**

## ▶ Jersette 301

#### MAINTENANCE GLOVE MAXIMUM COMFORT



- Good resistance to many diluted acids and bases
- Freedom of movement, due to the anatomical shape and excellent comfort from the seamless textile support
- Good tear-resistance
- Guaranteed silicone-free

#### **MATERIAL**

#### **INSTRUCTIONS FOR USE**

Natural latex





#### **STANDARDS**

Category 2









## ▶ Telsol 351

COMFORT, FLEXIBILITY AND MECHANICAL PROTECTION WITH LOW RISK OF CHEMICAL HAZARDS



- Exceptional comfort and good resistance to cold, due to the seamless cotton-knit
- Good resistance to oils, greases and hydrocarbons
- Suitable for food contact, except fatty foods

#### **MATERIAL**

#### **INSTRUCTIONS FOR USE**

PVC

Frequent contact



#### **STANDARDS**









Product Name	Material	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Jersette 301	Natural latex	29 - 33	1.15	Scalloped Edge	Blue, Parma	Textile support	Pebbled	5 6 7 8 9 10	50 pairs/carton
Telsol 351	PVC	30	1.35	Scalloped Edge	Blue	Textile support	Pebbled	8 9 10	12 pairs/bag 72 pairs/carton

## Cleaning & Maintenance

#### **AGGRESSIVE ENVIRONMENTS - INTERMITTENT WEAR**

## ▶ Alto 405

MAINTENANCE GLOVE FINESSE OF TOUCH



- Tactile sensitivity, due to the gloves reduced thickness
- · Comfort and perspiration absorption, due to the cotton flock-lining
- Good grip, due to the non-slip embossing

#### **MATERIAL**

Polychloroprene (Neoprene) and Natural latex

#### **STANDARDS**

Category 3

#### **INSTRUCTIONS FOR USE**















## ▶ Ultranitril 492

MAINTENANCE GLOVE LONG-LASTING PROTECTION



- Dexterity and comfort, due to the anatomical shape and the quality of the flock-lining
- Longer service life: excellent mechanical resistance (abrasion, perforation)

#### **MATERIAL**

Nitrile

#### INSTRUCTIONS FOR USE



Frequent contact



Intermittent wear

#### **STANDARDS**









Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Alto 405	33	0.70	Straight sleeve	Blue / Yellow	Flocked	Embossed texture	7 8 9 10	100 pairs/carton
Ultranitril 492	32	0.38	Straight sleeve	Green	Flocked	Embossed texture	6 7 8 9 10 11	100 pairs/carton

## Cleaning & Maintenance

#### **LOW AGGRESSIVE ENVIRONMENTS - CONTINUOUS WEAR**

## ▶ Harpon 321

COMFORT AND SAFETY WHEN GRIPPING HEAVY. ROUGH OR SLIPPERY OBJECTS IN HIGHLY AGGRESSIVE **ENVIRONMENTS** 



- Suitable for long-term wear, due to the comfort of a textile support and good thermal insulation
- Optimised service life: high resistance to abrasion

#### **MATERIAL**

Latex

#### **INSTRUCTIONS FOR USE**



Frequent contact



Continuous wear

#### **STANDARDS**

Category 2









#### AGGRESSIVE ENVIRONMENTS - INTERMITTENT WEAR

## ▶ Alto 415

MAINTENANCE GLOVE **FINESSE OF TOUCH** 

- Tactile sensitivity, due to the gloves reduced thickness
  - · Comfort and perspiration absorption, due to the cotton flock-lining
  - Good grip, due to the non-slip embossing

#### **MATERIAL**

Polychloroprene (Neoprene) and Natural latex

#### **INSTRUCTIONS FOR USE**



Frequent contact



Intermittent wear

#### **STANDARDS**











Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Harpon 321	70	1.35	Scalloped Cuff	Orange	Textile support	Reinforced grip	6 7 8 9 10	1 pair/bag 50 pairs/carton
Alto 415	32	0.60	Straight sleeve	Black	Flocked	Non-slip embossing	6 7 8 9 10 11	100 pairs/carton

## Cleaning & Maintenance

#### **AGGRESSIVE ENVIRONMENTS - INTERMITTENT WEAR**

## ▶ Alto 260

A GOOD CHOICE WHEN DEXTERITY AND CHEMICAL PROTECTION IS NEEDED FOR EXTENDED WEAR

- Good protection against chemical products
  - Flock-lining adds comfort and perspiration absorption
  - Embossed textured grip ensures good handling of slippery objects

#### **MATERIAL**

Natural latex

#### **INSTRUCTIONS FOR USE**



Prolonged contact



Intermittent wear

#### **STANDARDS**

Category 3









## ▶ Alto 299

GOOD MECHANICAL PERFORMANCE FOR LONG-LASTING CHEMICAL PROTECTION



- Longer service life and good impact protection, due to the thickness of the material
- Maintenance in wet environment

#### **MATERIAL**

Polychloroprene (Neoprene) and Natural latex

#### **INSTRUCTIONS FOR USE**



Prolonged contact



Intermittent wear

#### **STANDARDS**









Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Alto 260	32	0.80	Straight	Black	Chlorinated	Non-slip	7 8 9 10 11	100 pairs/carton
Alto 299	31	0.90	sleeve	Orange	Flocked	embossing	7 8 9 10	100 pairs/Carton

#### **AGGRESSIVE ENVIRONMENTS - SHORT WEAR**

## ▶ Alto 285

GOOD MECHANICAL PERFORMANCE FOR LONG-LASTING CHEMICAL PROTECTION



- Longer service life and good impact protection, due to the thickness of the material
- Forearm protection.

#### **MATERIAL**

Natural latex

#### **STANDARDS**

Category 3

#### **INSTRUCTIONS FOR USE**



Prolonged contact











## ▶ Alto 298

GOOD MECHANICAL PERFORMANCE FOR LONG-LASTING CHEMICAL PROTECTION



- · Longer service life and good impact protection, due to the thickness of the material
- Forearm protection.

#### **MATERIAL**

Natural latex

#### **STANDARDS**

Category 3

#### **INSTRUCTIONS FOR USE**



Prolonged contact



Short wear







<b>A</b>	
- 20 - 20	

Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Alto 285	60	1	Straight	Blonde		Reinforced grip	8 9 10	1 pair/bag 30 pairs/carton
Alto 298	42	1	Straight sleeve	Blue	Chlorinated	Smooth	8 9 10	1 pair/bag 5 pairs/bag 50 pairs/carton

## PROTECTION FOOD EXPERT

## Food and Catering Industry

# ▶ TempCook 476

#### PROTECTION AGAINST HEAT



- The white/cream colour coding meets the catering industry clothing standards
- Thermal protection up to 250°C\*
- Interior and exterior of gloves washable for improved hygiene
- 100% liquid-proof
- Resistance to oils, greases and principal detergent products
- Long cuff for forearm protection
- Suitable for contact with all types of food











EN407 

X2XXXX



8



#### **INSTRUCTIONS FOR USE**

Nitrile. Guaranteed silicone-free



**Wet** environments



Moderate oily environments



Upto 150°C

**MATERIAL** 





**STANDARDS** 

Category 3

\*From 150°C, the product may become stiffer and the colour may change, but performance is not affected.

## ▶ Ultranitril 475

#### DURABLE GLOVE FOR FOOD HANDLING



- Excellent dexterity, due to the suppleness of the glove
- Good grip due to the embossed exterior finish
- · Worn alone or as an outer-glove
- Suitable for contact with all types of food
- Recommended for persons sensitive to natural rubber proteins

#### LATEX-FREE

#### **MATERIAL**

Nitrile Category 3

#### **INSTRUCTIONS FOR USE**



Intermittent wear



**STANDARDS** 







Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Tempcook 476	45	-	-	White	Knitted thermal protection	Nitrile coating	7 9 10	6 pairs/carton
Ultranitril 475	31	0.34	Straight sleeve	Blue	Flocked	Embossed texture	6 7 8 9 10	72 pairs/carton

## **DISPOSABLE PROTECTION**

#### **DISPOSABLE GLOVES**

## ▶ Solo 987

EXCELLENT MECHANICAL RESISTANCE. **IDEAL IN OILY ENVIRONMENTS** 



- Excellent dexterity thanks to reduced material thickness.
- Powder free finish ensures easy donning and doffing.
- Recommended for persons sensitive to natural rubber proteins.

#### **MATERIAL**

#### **STANDARDS**

Nitrile

Category 3







## ▶ Solo 999

EXCELLENT MECHANICAL RESISTANCE. **IDEAL IN OILY ENVIRONMENTS** 



- Excellent dexterity thanks to reduced material thickness.
- Long cuff 29.5cm
- Virus protection
- Powder free finish ensures easy donning and doffing.
- Recommended for persons sensitive to natural rubber proteins.

#### **MATERIAL**

#### **STANDARDS**

Nitrile









Product Name	Length (cm)	Thickness (mm)	Colour	Internal Finish	External Finish	Size	Packaging
Solo 987	24.5	0.10	White		Smooth with pebbled	6789	100 gloves/box 1000 gloves/
Solo 999	29.5	0.10	White		fingertips	6789	carton



# ▶ Templce 700

REINFORCED DURABILITY IN COLD ENVIRONMENT



- Suitable for frozen, dry and some fatty foods use\*
- Grip & Proof technology ensures excellent grip and a seal when handling wet environments that reduces muscle fatigue and increases productivity
- Insulating and water-repellent textile support: your hands remain dry when working in a damp environment
- · Seamless: maximum comfort and flexibility
- Washable up to 5 washing cycles (see washing and drying conditions)

\*according to the French law of November 9th, 1994 and to the European Directive CEE 1935/2004



#### **MATERIAL**

Nitrile GRIP&PROOF coating

#### **STANDARDS**

Category 2









#### **INSTRUCTIONS FOR USE**



**Wet** environments



Upto -10°C



Long life performance



O **Dry** environments



## ▶ Ultrane 551

#### UNBEATABLE FOR FINGERTIP PRECISION



- Breathable liner material and coating
- · High dexterity allows freedom of movement
- Durable double PU coating
- OEKO-TEX® certified for comfort
- Suitable for use in the food industry (packaging)



#### **MATERIAL**

Polyurethane foam

#### **STANDARDS**





Product Name	Length (cm)	Thickness (mm)	Colour	Internal Finish	External Finish	Size	Packaging
Templce 700	24-27	-	Black/Blue	Seamless knitted lining	3/4 Nitrile coating	7 8 9 10	12 pairs/bag 72 pairs/carton
Ultrane 551	22-27	Light Weight	Grey	Seamless textile support	Ventilated back	6 7 8 9 10 11	10 pairs/bag 100 pairs/carton

#### **AGGRESSIVE ENVIRONMENTS - INTERMITTENT WEAR**

## UltraNeo 420

EXTREMELY SUPPLE WITH FREEDOM OF MOVEMENT FOR STANDARD CHEMICAL PROTECTION



- Freedom of movement, due to the supple quality of the neoprene and the comfort of the cotton flock-lining
- Good grip, due to embossed texture

#### **MATERIAL**

Polychloropene and natural latex

#### **STANDARDS**

Category 3

#### **INSTRUCTIONS FOR USE**



Frequent contact



Intermittent wear





#### **AGGRESSIVE ENVIRONMENTS - CONTINUOUS WEAR**

## ▶ FluoTech 344

#### COMFORT AND FLEXIBILITY FOR EXTENDED WEAR



- Excellent comfort for long tasks, due to the cotton-knit interior
- High mechanical resistance and long service life, due to textile
- Freedom of movement: good glove flexibility

#### **MATERIAL**

Fluoroelastomer

#### **STANDARDS**

Category 3

#### **INSTRUCTIONS FOR USE**



Frequent contact



Continuous wear











Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
Ultraneo 42	20 31	0.75	Straight sleeve	Black	Flocked	Non-slip embossing	6 7 8 9 10 11	1 pair/bag 10 pairs/box 100 pairs/carton
FluoTech 3	44 37	1.5	Scalloped cuff	Black	Textile support	Smooth	9 10	1 pair/bag 1 pair/carton

#### **AGGRESSIVE ENVIRONMENTS - CONTINUOUS WEAR**

## ▶ UltraNeo 340

#### COMFORT WITH LIGHT CHEMICAL PROTECTION



- Suitable for long-term wear; added comfort of textile support
- · Great dexterity, due to the gloves reduced thickness

#### **MATERIAL**

Polychloropene and natural latex

#### **STANDARDS**

Category 3

## **INSTRUCTIONS FOR USE**



Splashes contact

Continuous wear











## ▶ UltraNeo 341

#### COMFORT WITH STANDARD CHEMICAL PROTECTION



- Suitable for long-term wear; added comfort of textile support
- Longer service life for heavy-duty work: good mechanical resistance
- Forearm protection

#### **MATERIAL**

Polychloropene and natural latex

#### **STANDARDS**

Category 3

#### INSTRUCTIONS FOR USE



Frequent contact



Continuous wear











Product Name	Length (cm)	Thickness (mm)	Wrist	Colour	Internal Finish	External Finish	Size	Packaging
UltraNeo 340	38	1.30 mm	Scalloped cuff	Black	Textile support	Smooth	7 8 9 10	1 pair/bag 5 pairs/box 50 pairs/carton
UltraNeo 341		1.45 mm					8 9 10 11	

# For more information

www.mapa-pro.com www.spontex-pro.com



And, of course, news, downloadable documents, a technical glossary, an FAQ section, etc.

- ► Selection guides
  for each segment to help you
  choose the right glove
- ► An advanced search engine
  to find a product based on your
  own criteria, with a database
  continuously updated
- ► A tool to help you locate your nearest Mapa Professional distributor

